



TABLE OF CONTENTS

10 References	2
10.1 Publications	2
10.2 Land Use Plans	40



10 REFERENCES

10.1 Publications

- Adamovicz L., Allender M. C., Archer G., Rzadkowska M., Boers K., & Phillips C., et al. (2018). Investigation of multiple mortality events in eastern box turtles (*Terrapene carolina carolina*). *PLoS ONE*. 13:e0195617. 10.1371/journal.pone.0195617
- Adams, J., Roby P., Sewell P., Schwierjohann J., Gumbert M., & Brandenburg M. (2015). Success of Brandenburg, an artificial roost structure designed for use by Indiana bats (*Myotis sodalis*). *Journal of the Arab Society for Medical Research*, 4, 1-15.
- Adams, W. R. (1946) Archaeological survey of Martin County. *Indiana History Bulletin*, 23(6), 196-226.
- Ahlstedt, Steven. (1984). *Recovery plan for the rough pigtoe pearly mussel* (Pleurobema plenum Lea, 1840). U.S. Fish and Wildlife Service, Endangered Species Field Office, Asheville, North Carolina.
- Alberts, G., Hamilton, J., Walton, B. (2020). *Electric vehicles: Setting a course for 2030*.
- Aldrich, J. R., & Homoya, M. A. (1983). Natural barrens and post oak flatwoods in Posey and Spencer counties. *Proceedings of the Indiana Academy of Science*, 93, 291-301.
- Alliance of Rural Water Indiana. (2012). *Middle Patoka source water protection plan* (p. 125). Indiana Department of Environmental Management.
- Amelon, S., & Burhans, D. (2006). Conservation assessment: *Myotis septentrionalis* (northern long-eared bat) in the eastern United States (pp. 69-82). Conservation assessments for five forest bat species in the eastern United States. U.S. Department of Agriculture, Forest Service, North Central Research Station, General Technical Report NC-260. St. Paul, Minnesota.
- American Herbal Products Association. (n.d.). *Good Stewardship Harvesting of Wild American Ginseng (Panax quinquefolius)* (p. 2).
- American Rivers. (n.d.). *Why we need to restore floodplains*. <https://www.americanrivers.org/threats-solutions/restoring-damaged-rivers/benefits-of-restoring-floodplains/>
- Animal Diversity Web. (2021). *Simpsonaias ambigua*. https://animaldiversity.org/accounts/Simpsonaias_ambigua/#8264e2e2f65a94deaaa9eea128770a96
- Anthony, E. L. P., & Kunz, T. H. (1977). Feeding strategies of the little brown bat, *Myotis lucifugus*, in southern New Hampshire. *Ecology*, 58, 775-786.
- Araujo De Lima, E. C., & Zeppelini, D. (2015). First survey of Collembola (*Hexapoda: Entognatha*) fauna in soil of Arquipelago Fernando de Noronha, Brazil. *Florida Entomologist*, 98, 368-369.
- Arnett, E., & Baerwald, E. F. (2013). Impacts of wind energy development on bats: implications for conservation. (pp. 435-456). *Bat Evolution, Ecology, and Conservation* (R.A. Adams and S.C. Pederson, eds.). Springer Science, New York.
- Askins, R. A., & Philbrick, M. J. (1987). Effect of changes in regional forest abundance on the decline and recovery of a forest bird community. *Wilson Bulletin*, 99, 7-21.



- Audubon Society. (2021). Indiana Birding Trail Interactive Map of Birding Trail Sites. <https://indianabirdingtrail.com/pages/birding-sites>
- Badger, K., & Jackson, M. T. (1983). A study of the natural history of naturally occurring populations of *Magnolia tripetala* L. in Indiana. *Proceedings of the Indiana Academy of Science*, 93, 309-312.
- Barbour, R. W., & Davis, W. H. (1969). *Bats of America* (p. 312). University Press of Kentucky, Lexington, Kentucky.
- Barclay, M. R. (1991). Population structure of temperate zone insectivorous bats in relation to foraging behavior and energy demand. *Journal of Animal Ecology*, 60, 165-178.
- Barclay, R. M. R., & Brigham, R. M. (1991). Prey detection, dietary niche breadth, and body size in bats: Why are aerial insectivorous bats so small. *The American Naturalist*, 137, 693-703.
- Barnes, T. G., & Francis, S. W. (2004). *Wildflowers and Ferns of Kentucky* (p. 344). The University Press of Kentucky, Lexington, Kentucky.
- Barrass, A.N. (n.d.). *The effects of highway traffic noise on the phonotactic and associated reproductive behavior of selected anurans*. Dissertation. Vanderbilt University, Nashville, Tennessee, USA.
- Barnhart, C., Riusech, F., & Baird, M. (1998). Hosts of salamander mussel (*Simpsonia ambigua*) and snuffbox (*Epioblasma triquetra*) from the Meramec River system, Missouri. *Triannual Unionid* (Report No. 16-34).
- Baskin, J. M., & Baskin, C. C. (1979). The ecological life cycle of *Nothoscordum* bivalve in Tennessee cedar glades. *Castanea*, 44(4), 193-202.
- Beauvais, G. P., & McCumber, J. (2006). *Pygmy Shrew (Sorex hoyi): a technical conservation assessment*. USDA Forest Service, Rocky Mountain Region.
- Belwood, J. J., & Fenton, M. B. (1976). Variation in the diet of *Myotis lucifugus* (Chiroptera: Vespertilionidae). *Canadian Journal of Zoology*, 54, 1674-1678.
- Bergeson, S. M. (2012). *Examining the suitability of the little brown bat (Myotis lucifugus) as a surrogate for the endangered Indiana bat (M. sodalis)*. [Master's thesis, Ball State University, Muncie, Indiana]. 99 pp.
- Bergeson, S. M., Carter, T. C., & Whitby, M. D. (2013). Partitioning of foraging resources between sympatric Indiana and little brown bats. *Journal of Mammalogy*, 94, 1311-1320.
- Berkley, K. A., & Johnson, S. A. (1998). Range expansion of the badger (*Taxidea taxus*) in Indiana. *Proceedings of the Indiana Academy of Science*, 107, 141-150.
- Best, T. L., & Hudson, M. K. (1996). Movements of gray bats (*Myotis grisescens*) between roost sites and foraging areas. *Journal of the Alabama Academy of Science*, 67, 6-14.
- Biggins, Richard G. (1991b). *Recovery Plan for Fanshell (Cryprogenia stegaria (=C. irrorata))*. U.S. Fish and Wildlife Service, Southeast Region, Atlanta, Georgia.
- Bishop, S. C. (1926). Notes on the habits and development of the mudpuppy, *Necturus maculosus* (Rafinesque). (268 ed., p. 39) *New York State Museum Bulletin*, University of the State of New York, Albany, New York.
- Blatchley, W. S. (1908). Life zones of Indiana as illustrated by the distribution of Orthoptera and Coleoptera within the state. *Proceedings of the Indiana Academy of Science*, 18, 185-191.
- Blumton, A. K. (1989). *Factors affecting loggerhead shrike mortality in Virginia*. [Master's Thesis, Virginia Polytechnic Institute and State University, Blacksburg, Virginia].

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

Blue Ribbon Panel on Transportation Infrastructure, Sue Ellermann and Cathy Langham Co-Chairs. (2014). (p. 118)

Borries, Blair. (2008, Oct. 31). *Upper Patoka River Watershed Management Plan*. Four River Resource Conservative & Development Area, Inc. https://ecm.idem.in.gov/cs/idcplg?IdcService=GET_FILE&dID=83088348&dDocName=83088353&Rendition=web&allowInterrupt=1&noSaveAs=1

Boyles, J. G., Dunbar, M. B. Dunbar, Storm, J. J., & Brack, V., Jr. (2007). Energy availability influences microclimate selection of hibernating bats. *Journal of Experimental Biology*, 210, 4345-4350.

Boyles, J. G., Mormann, B. M., & Robbins, L. W. (2005). Use of an underground winter roost by a male evening bat (*Nycticeius humeralis*). *Southeastern Naturalist*, 4, 375-377.

Boyles, J. G., & Robbins, L. W. (2006). Characteristics of summer and winter roost trees used by evening bats (*Nycticeius humeralis*) in southwestern Missouri. *American Midland Naturalist*, 155, 210-220.

Boyles, J. G., Storm, J. J., & Brack, V., Jr. (2008). Thermal benefits of clustering during hibernation: a field test of competing hypotheses on *Myotis sodalis*. *Functional Ecology*, 22, 632-636.

Boyles, J., Timpone, J., & Robbins, L. W. (2009). *Bats of Missouri* (3rd ed., p. 60). Indiana State University, Center for North American Bat Research and Conservation.

Brack, V., Jr. (1983). *The nonhibernating ecology of bats in Indiana with emphasis on the endangered Indiana bat, Myotis sodalis*. [Unpublished Ph.D. dissertation, Purdue University, West Lafayette, Indiana].

Brack, V., Jr. (1985). The foraging ecology of some bats in Indiana. *Proceedings of the Indiana Academy of Science*, 94, 231-237.

Brack, V., Jr. (2007). Temperatures and locations used by hibernating bats, including *Myotis sodalis* (Indiana Bat), in a limestone mine: implications for conservation and management. *Environmental Management*, 40, 739-746.

Brack, V., Jr., & LaVal, R. K. (1985). Food habits of the Indiana bat in Missouri. *Journal of Mammalogy*, 66, 308-315.

Brack, V., Jr., & LaVal, R. K. (2006). Diet of the gray Myotis (*Myotis grisescens*): variability and consistency, opportunism, and selectivity. *Journal of Mammalogy*, 87, 7-18.

Brack, V., Jr., Mumford, R. E., & Holmes, V. R. (1984). The gray bat (*Myotis grisescens*) in Indiana. *American Midland Naturalist*, 111, 205.

Brack, V., Jr., Sparks, D. W., Whitaker, J. O., Jr., Walters, B. L., & Boyer, A. (2010). *Bats of Ohio*. Publication Number 4. Indiana State University, Center for North American Bat Research and Conservation. 92 pp.

Brack, V., Jr., & Twente, J. W. (1985). The duration of the period of hibernation in three species of vespertilionid bats I: field studies. *Canadian Journal of Zoology*, 63, 2952-2954.

Brack, V., Jr., & Whitaker, J. O., Jr. (2001). Foods of the northern myotis, *Myotis septentrionalis*, from Missouri and Indiana, with notes on foraging. *Acta Chiropterologica*, 3, 203-210.

Brack, V., Jr., & Whitaker, J. O., Jr. (2004). Bats of the Naval Surface Warfare Center at Crane, Indiana. *Proceedings of the Indiana Academy of Science*, 113, 66-75.

Brack, V., Jr., Whitaker, J. O., Jr., & Pruitt, S. E. (2004). Bats of Hoosier National Forest. *Proceedings of the Indiana Academy of Science*, 113, 78-86.

Brady, J. T., LaVal, R. K., Kunz, T. H., Tuttle, M. D., Wilson, D. E., & Clawson, R. L. (1983). *Recovery plan for the Indiana bat* (p. 94). October 14, 1983. U.S. Fish and Wildlife Service, Washington, D.C.



- Britzke, E. R., Harvey, M. J., & Loeb, S. C. (2003). Indiana bat, *Myotis sodalis*, maternity roosts in the southern United States. *Southeastern Naturalist*, 2, 235-242.
- Broders, H. G., McAlpine, D. F., & Forbes, G. J. (2001). Status of the eastern pipistrelle (*Pipistrellus subflavus*) (Chiroptera: Vespertilionidae) in New Brunswick. *Northeastern Naturalist*, 8, 331-336.
- Brown, R. J., & Brack, V., Jr. (2003). An unusually productive net site over an upland road used as a travel corridor. *Bat Research News*, 44, 187-188.
- Butler, R. S. (2002). *Status assessment report for the sheepnose, Plethobasus cyphyus, occurring in the Mississippi River system* (U.S. Fish and Wildlife Service Regions 3, 4, and 5) (p. 88). Unpublished report prepared by the Ohio River Valley Ecosystem Team Mollusk Subgroup, Asheville, North Carolina.
- Butler, R. A. (2007). *Status assessment report for the Snuffbox, Epioblasma triquetra, a freshwater mussel occurring in the Mississippi River and Great Lakes Basins*. U.S. Fish and Wildlife Service.
- Caceres, M. C., & Barclay, R. M. R. (2000). *Myotis septentrionalis*. *Mammalian Species*, 634, 1-4.
- Cade, T. J., & Woods, C. P. (1997). Changes in distribution and abundance of the loggerhead shrike. *Conservation Biology*, 11, 21-31.
- Caire, W., LaVal, R. K., LaVal, M. L., & Clawson, R. (1979). Notes on the ecology of *Myotis keenii* (Chiroptera, Vespertilionidae) in Eastern Missouri. *American Midland Naturalist*, 102(2), 404-407.
- Caldwell, R. S., Smith, C. K., & Whitaker, J. O., Jr. (1982). First records of the smoky shrew, *Sorex fumeus*, and pygmy shrew, *Microsorex hoyi*, from Indiana. *Proceedings of the Indiana Academy of Science*, 91, 606-608.
- California Invasive Plant Council. (n.d.). *Limnobium spongia*. <https://www.cal-ipc.org/plants/profile/limnobium-laevigatum-profile/>
- Camp, Mark J., & Richardson, Graham T. (1999). *Roadside Geology of Indiana* (p. 315). Mountain Press Publishing Co., Missoula, MT.
- Carman, S. M., & Goforth, R. R. (2004). *Special animal abstract for Epioblasma triquetra snuffbox* (p. 2). Michigan Natural Features Inventory, Lansing, Michigan.
- Carter, T. C., & Feldhamer, G. A. (2005). Roost tree use by maternity colonies of the Indiana bats and the northern long-eared bats in southern Illinois. *Forest Ecology and Management*, 219, 259-268.
- Carter, T. C., Menzel, M. A., Krishon, D. M., & Laerm, J. (1998). Prey selection by five species of vespertilionid bats on Sapelo Island, Georgia. *Brimleyana*, 25, 158-170.
- Castrale, J. S., Hopkins, E. M., & Keller, C. E. (1998). *Atlas of Breeding Birds of Indiana* (p. 388). Indiana Department of Natural Resources, Division of Fish and Wildlife, Nongame and Endangered Wildlife Program.
- Catling, P. M., & Dore, W. G. (1982). Status and identification of *Hydrocharis morsus-ranae* and *Limnobium spongia* (HYdrocharitaceae) in northeastern North America. *Rhodora*, 84(840), 523-545.
- Caylor, M. K. (2011). *Impacts of different forest tree-harvest methods on diets and populations of insectivorous forest bats*. Indiana State University, Terre Haute, Indiana.
- Center for Biological Diversity, Center for Food Safety, Xerces Society, & Brower, Lincoln. (2014). *Petition to Protect the Monarch Butterfly (*Danaus plexippus plexippus*) Under the Endangered Species Act*. (p. 159). Petition submitted to the U.S. Secretary of the Interior, acting through the U.S. Fish and Wildlife Service. The Center for Biological Diversity.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

Center for Biological Diversity and Defenders of Wildlife. (2016). *Petition to list the tricolored bat Perimyotis subflavus as threatened or endangered under the Endangered Species Act* (p. 76). Petition submitted to the U.S. Secretary of the Interior, acting through the U.S. Fish and Wildlife Service. The Center for Biological Diversity, Tucson, Arizona and Defenders of Wildlife, Washington D.C.

Center for Biological Diversity. (2010). *Petition to list 404 aquatic, riparian and wetland species from the southeastern United States as threatened or endangered under the Endangered Species Act* (p. 1145). Petition submitted to the U.S. Secretary of the Interior, acting through the U.S. Fish and Wildlife Service. The Center for Biological Diversity, Tucson, Arizona.

Center for Biological Diversity. (2018). *Petition to List U.S. Population of Lake Sturgeon (Acipenser fulvescens) as Endangered or Threatened under the Endangered Species Act* (p. 220). Petition submitted to the U.S. Secretary of the Interior, acting through the U.S. Fish and Wildlife Service. The Center for Biological Diversity, Duluth, Minnesota.

Center for Biological Diversity. (2019). *Endangered mussels to gain protected habitat in 18 eastern, midwestern states*. The Center for Biological Diversity Press Release. <https://biologicaldiversity.org/w/news/press-releases/endangered-mussels-gain-protected-habitat-18-eastern-midwestern-states-2019-06-04/>

Center for Reptile and Amphibian Conservation and Management. (n.d.). *Copperbelly Water Snake (Nerodia erythrogaster neglecta) Identification, Status, Ecology, and Conservation in the Midwest*. Indiana University-Purdue University, Fort Wayne, Indiana. Available online at: https://efotg.sc.egov.usda.gov/references/public/OH/Copperbelly_Fact_Sheet.pdf

Cervone, T. H., & Yeager, R. K. (2016). Bats under an Indiana bridge. *Proceedings of the Indiana Academy of Science* 125, 91-102.

Chakrabarty, P., Prejean, J. A., & Niemiller, M. L. (2014). The Hoosier cavefish, a new and endangered species (Amblyopsidae, Amblyopsis) from the caves of southern Indiana. *ZooKeys*, 412:41-57. Doi: 10.3897/zookeys.412.7245

Chang, G. D., Choi, Y. G., & Bae, Y. J. (2016). A New Species of the Cave-dwelling Springtail Lethemurus (Collembola: Tomoceridae) from Korea. *Korean Society of Environmental Biology*, 34(1), 37-40.

Chenger, J. & Sanders, C. (2007). *Bedford and Somerset County, Pennsylvania, South Penn Tunnel fall 2007 Indiana bat telemetry*. Bat Conservation and Management, Inc. and Sanders Environmental, Inc.

Christiansen, K. (1960). *The Genus Pseudosinella (Collembola, Entomobryidae) in Caves of the United States*. Psyche 67.

Christiansen, K & Bellinger, P. (1996). Cave Pseudosinella and Oncopodura, New to Science. *Journal of Caves and Karst Studies*, 58, 38-53.

Christiansen, K. & Culver, D. (1987). Biogeography and the Distribution of Cave Collembola. *Journal of Biogeography*, 14(5), 459-477.

Choate, J. R. & Decher, J. (1996). *Critical habitat of the gray bat, Myotis grisescens, in Kansas*. Contributions in Mammalogy: a memorial volume honoring Dr. J. Knox Jones, Jr. (H. H. Genoways and R. J. Baker, eds.) (pp. 209-216). The Museum of Texas Tech University, Lubbock, Texas.

Clark, D. R., Jr, LaVal, R. K., & Swineford, D. M. (1978). Dieldrin-induced mortality in an endangered species, the gray bat (Myotis grisescens). *Science* 199, 1357-1359.



Clawson, R. L. & Titus, R. R. (1992). *Management plan for the Indiana and gray bat in Missouri*. Missouri Department of Conservation, Jefferson City, Missouri.

Clem, P. D. (1993). Foraging patterns and the use of temporary roosts in female evening bats, *Nycticeius humeralis*, at an Indiana maternity colony. *Proceedings of the Indiana Academy of Science* 102, 201-206.

Coastal Plain Plants. (n.d.). Eupatorium album. *Coastal Plain Plants*. Available online at: http://coastalplainplants.org/wiki/index.php/Eupatorium_album#cite_note-fsu-4

Conant, R. & Collins, J. T. (1998). *A field guide to reptiles and amphibians of eastern and central North America*. Peterson Field Guide Series, (3rd ed., p. 616). Houghton Mifflin Company, Boston, Massachusetts.

Conexus Indiana Logistics Council. (2015). *A plan for growing southwest Indiana's logistics sector*. 68 pp.

Connor, K. F. (2004a). *Itea virginica* L. In: Francis, John K. ed. 2004. *Wildland shrubs of the United States and its Territories: thamnic descriptions*: volume 1. Gen. Tech. Rep. IITF-GTR-26. San Juan, PR: U.S. Department of Agriculture, Forest Service, International Institute of Tropical Forestry, and Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, 391-392.

Connor, K. F. (2004b). *Styrax americanus* Lam. In: Francis, John K. ed. 2004. *Wildland shrubs of the United States and its Territories: thamnic descriptions*: volume 1. Gen. Tech. Rep. IITF-GTR-26. San Juan, PR: U.S. Department of Agriculture, Forest Service, International Institute of Tropical Forestry, and Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, 737-738.

Consideration of Indirect and Cumulative Impacts in the NEPA Process (n.d.). <https://www.environment.fhwa.dot.gov/nepa/QAimpact.aspx>

Considering Cumulative Effects under the NEPA. (1997, Jan.). https://ceq.doe.gov/publications/cumulative_effects.html

Cope, J. B., & Humphrey, S. R. (1972). Reproduction of the bats *Myotis keenii* and *Pipistrellus subflavus* in Indiana. *Bat Research News*, 13, 9-10.

Cope, J. B., & Humphrey, S. R. (1977). Spring and autumn swarming behavior in the Indiana bat, *Myotis sodalis*. *Journal of Mammalogy*, 58, 93-95.

Cordeiro, J. (2009). *Ptychobranchus fasciolaris*. NatureServe Explorer: An online encyclopedia of life [web application]. Version 6.2. NatureServe, Arlington, Virginia. https://explorer.natureserve.org/Taxon/ELEMENT_GLOBAL.2.109882/Ptychobranchus_fasciolaris

Cordeiro, J. (2011). *Toxolasma lividum*. NatureServe Explorer: An online encyclopedia of life [web application]. Version 6.2. NatureServe, Arlington, Virginia. https://explorer.natureserve.org/Taxon/ELEMENT_GLOBAL.2.119668/Toxolasma_lividum

Council on Environmental Quality Regulations. (n.d.). <https://ceq.doe.gov/laws-regulations/regulations.html>

Cudmore, W. W., & Whitaker, J. O. (1983). The Distribution of the smoky shrew, *Sorex fumeus*, and the pygmy shrew, *Microsorex hoyi*, in Indiana with notes on the distribution of other shrews. *Proceedings of the Indiana Academy of Science*, 93, 469-474.

Cunningham, M. A., & Johnson, D. H. (2006). Proximate and landscape factors influence grassland bird distributions. *Ecological Applications*, 16, 1062-1075.

Draft Environmental Impact Statement



MID-STATES
CORRIDOR

- Dahl, T. E. (2011). *Status and trends of wetlands in the conterminous United States 2004 to 2009*. U.S. Department of the Interior; Fish and Wildlife Service. Washington, D.C. 108 pp.
- Dahl, T. E. (2014). Status and trends of prairie wetlands in the United States 1997 to 2009. U.S. Department of the Interior; Fish and Wildlife Service, Ecological Services. Washington, D.C. 67 pp.
- Damm, J. P., & Geluso, K. (2008). Use of a mine by eastern pipistrelles in east-central Nebraska. *Western North American Naturalist*, 68, 382-389.
- Daniel, W. M. & Brown, K. M. (2014). The role of life history and behavior in explaining unionid mussel distributions. *Hydrobiologia*, 734, 57-68.
- Daviess County Soil & Water Conservation District. (2005). *Prairie Creek Watershed Plan*. Prepared for: Indiana Department of Environmental Management. 82 pgs.
- Davis, W. H., & Hitchcock, H. B. (1965). Biology and migration of the bat, *Myotis lucifugus*, in New England. *Journal of Mammalogy*, 45, 475-476.
- Decher, J., & Choate, J. R. Choate. (1995). *Myotis grisescens*. *Mammalian Species*, 510, 1-7.
- Dennis, Sally D. & Stewart, James H. (1989). *A recovery plan for the fat pocketbook pearly mussel Potamilus capax* (Green, 1832). U.S. Department of Interior, Fish and Wildlife Service, Southeast Region, Atlanta, Georgia.
- Diersing, V. E. (1980). Systematics and evolution of the pygmy shrews (subgenus *Microsorex*) of North America. *Journal of Mammalogy*, 61, 76-101.
- Diesel, N. M., Y. Zou, T. D. Johnson, D. A. Diesel, J. G. Millar, J. A. Mongold-Diers, and L. M. Hanks. (2017). The rare North American cerambycid beetle *Dryobius sexnotatus* shares a novel pyrrole pheromone components with species in Asia and South America. *Journal of Chemical Ecology*, 43, 739-744.
- Dillon, R. (2019). *Finding Fontigen cryptica*. Freshwater Gastropods of North America. <https://fwgna.blogspot.com/2019/07/finding-fontigens-cryptica.html>
- DLGF. (2021). *Property Tax Management System Code List Manual*. <https://www.in.gov/dlgf/vendors/>
- Dolan, R. W., & M. E. Moore. (2021). Indiana Plant Atlas. <https://indiana.plantatlas.usf.edu/Default.aspx>
- Donaldson, B.M. (2005). *The Use of Highway Underpasses by Large Mammals in Virginia and Factors Influencing their Effectiveness*. Virginia Transportation Research Council (A Cooperative Organization Sponsored Jointly by the Virginia Department of Transportation and the University of Virginia) Charlottesville, Virginia August 2005, VTRC 06-R2. http://www.virginiadot.org/vtrc/main/online_reports/pdf/06-r2.pdf
- Duchamp, J. E., Sparks, D. W., & Whitaker, J. O., Jr. (2004). Foraging-habitat selection by bats at an urban-rural interface: comparison between a successful and less successful species. *Canadian Journal of Zoology*, 82, 1157-1164.
- Ducks Unlimited. (2008). *Updating the National Wetlands Inventory for the Great Lakes (Wisconsin, Illinois, Indiana, Michigan, and Ohio), Project Workplan*. Atlantic Regional Office.
- Dunbar, M. B., Whitaker, J.O., Jr., & Robbins, L. W. (2007). Winter feeding by bats in southwestern Missouri. *Acta Chiropterologica*, 9, 305-322.
- Duquette, J. F., Gehrt, S. D., Steeg, B. V. & Warner, R. E. (2014). Badger (*Taxidea taxus*) resource selection and spatial ecology in intensive agricultural landscapes. *The American Midland Naturalist*, 171(1), 116-127.



- Dzial, Y., McGuire, L. P., Veselka, N., & Fenton, M. B. (2010). Going, going, gone: the impact of white-nose syndrome on the summer activity of the little brown bat (*Myotis lucifugus*). *Biology Letters*.
- Easterla, D. A. (1968). Parturition of Keen's Myotis in Southwestern Missouri. *Journal of Mammalogy*, 49(4), 770.
- Edgin, B., & Mankowski, A. (2013). *Final recovery planning outline with listing status review triggers for the Illinois threatened Storax (Styrax americana)*. Illinois Nature Preserves Commission and Illinois Endangered Species Protection Board. 10 pp.
- Eidels, R. R., Sparks, D. W., Whitaker, J. O., Jr. & Sprague, C. A. (2016). Sub-lethal effects of chlorpyrifos on big brown bats (*Eptesicus fuscus*). *Archives of Environmental Contaminants and Toxicology*, 2016, 322-335.
- Elder, W. H., & Gunier, W. J. (1978). Sex ratios and seasonal movements of gray bats (*Myotis grisescens*) in southwestern Missouri and adjacent states. *American Midland Naturalist*, 99, 463-472.
- Engbrecht, N. J., & Lannoo, M. J. (2010). A review of the status and distribution of crawfish frogs (*Lithobates areolatus*) in Indiana. *Proceedings of the Indiana Academy of Science*, 119, 64-73.
- Engbrecht, N. J., & Lannoo, M. J. (2012). Crawfish Frog behavioral differences in postburned and vegetated grasslands. *Fire Ecology*, 8(1), 63-76.
- EPA. (2021, Feb 10). <https://www.epa.gov/criteria-air-pollutants/naaqs-table>
- EPA Noise Control Act. (2021, Sept. 28). <https://www.epa.gov/laws-regulations/summary-noise-control-act>
- Evans, J. E., & Drilling, N. (1992). *Element stewardship abstract for gray bat*. Nature Conservancy.
- Executive Order 12898. (2021, Sept. 28). <https://www.epa.gov/laws-regulations/summary-executive-order-12898-federal-actions-address-environmental-justice>
- Faber-Langendoen, D. (2001). *Plant communities of the Midwest: Classification in an ecological context*. (p. 61, 705) Association for Biodiversity Information, Arlington, Virginia.
- Federal Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970. (2019, Dec. 18). <https://www.federalregister.gov/documents/2019/12/18/2019-25558/uniform-relocation-assistance-and-real-property-acquisition-for-federal-and-federally-assisted>
- Feldhamer, G. A., Carter, T. C., & Carroll, S. K. (2001). Timing of pregnancy, lactation, and female foraging activity in three species of bats in southern Illinois. *Canadian Field Naturalist*, 115, 420-424.
- Feldhamer, G. A., Carter, T. C., Morzillo, A. T., & Nicholson, E. H. (2003). Use of bridges as day roosts by bats in southern Illinois. *Proceedings of the Illinois State Academy of Science*, 96, 107-112.
- Feldhamer, G. A., Klann, R. S., Gerard, A. S., & Driskel, A. C. (1993). Habitat partitioning, body size, and timing of parturition in pygmy shrews and associated soricids. *Journal of Mammalogy*, 74, 403-411.
- Fenton, M. B. (1970). *Population Studies of Myotis lucifugus: (Chiroptera: Vespertilionidae) in Ontario*. Royal Ontario Museum.
- Fenton, M. B., & Barclay, R. M. R. (1980). *Myotis lucifugus*. *Mammalian Species*, 142, 1-8.
- Fenton, M. B., & Bell, G. P. (1979). Echolocation and feeding behavior in four species of Myotis (Chiroptera). *Canadian Journal of Zoology*, 57, 1271-1277.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

FHWA. (n.d.). 23 C.F.R 771 (p. 135). <https://www.govinfo.gov/content/pkg/CFR-2007-title23-vol1/pdf/CFR-2007-title23-vol1-sec771-135.pdf>

FHWA. (2011, Dec.). *Highway Traffic Noise Analysis and Abatement Guidance*. https://www.fhwa.dot.gov/environment/noise/regulations_and_guidance/analysis_and_abatement_guidance/revguidance.pdf

FHWA. (2012, June 14). Order 6640.23. <https://www.fhwa.dot.gov/legsregs/directives/orders/664023a.cfm>

FHWA. (2021, Oct. 19). Standards under 23 CFR Part 772 Procedures for Abatement of Highway Traffic Noise and Construction Noise. <https://www.ecfr.gov/current/title-23/chapter-I/subchapter-H/part-772>

Finch, Deborah. (1991). *Population Ecology, Habitat Requirements, and Conservation of Neotropical Migratory Birds*. U.S. Department of Agriculture, Forest Service General Technical Report RM-205. Fort Collins, Colorado.

Fisher, B. E. (2006). Current status of freshwater mussels (Order Unionoida) in the Wabash River drainage of Indiana. *Proceedings of the Indiana Academy of Science*, 115(2), 103-109.

Fisheries and Oceans Canada. (2013). *Recovery strategy for the round hickorynut (*Obovaria subrotunda*) and the kidneyshell (*Ptychobranchus fasciolaris*) in Canada*. Species at Risk Act Recovery Strategy Series, Fisheries and Oceans Canada, Ottawa.

Fjellberg, A. (2003). Revision of six northern species of the *Isotoma viridis* Bourlet, 1839 complex (Collembola, Isotomidae). *Norwegian Journal of Entomology*, 50, 91-98.

Fletcher, R. J., Jr., & Koford, R. R. (2003). Spatial responses of Bobolinks (*Dolichonyx oryzivorus*) near different types of edges in northern Iowa. *Auk*, 120, 799-810.

Ford, W. M., Laerm, J., & Barker, K. G. (1997). Soricid response to forest stand age in southern Appalachian cove hardwood communities. *Forest Ecology and Management*, 91, 175-181.

Ford, W. M., Laerm, J., & Chapman, B. R. (2007). *Pygmy shrew*. The Land manager's Guide to Mammals of the South (M. K. Trani, W. M. Ford, and B R. Chapman, eds.) (pp. 99-103). The Nature Conservancy, Southeastern Region, Durham, North Carolina and U.S. Forest Service, Southern Region, Atlanta, Georgia.

Ford, W. M., Menzel, M. A., McCay, T. S., Gassett, J. W. & Laerm, J. (2000). Woodland salamander and small mammal responses to alternative silvicultural practices in the southern Appalachians of North Carolina. in *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*, 54, 241-250.

Forman, R. T. T. & Alexander, L.E. (1998). *Roads and their major ecological effects: Annual Review of Ecology and Systematics*, 29, 207-231.

Forman, R. T. T. (2000). Estimate of the Area Affected Ecologically by the Road System in the United States. *Conservation Biology*, 14(1), 31-35.

Forman R.T, Reineking, B., & Hersperger, A.M. (2002). Road Traffic and Nearby Grassland Bird Patterns in a Suburbanizing Landscape. *Environmental Management*, 29(6), 782- 800.

Foster, R. W., & Kurta, A. (1999). Roosting ecology of the Northern bat (*Myotis septentrionalis*) and comparisons with the endangered Indiana bat (*Myotis sodalis*). *Journal of Mammalogy*, 80(2), 659-672.

Francis, C. D., & Barber, J. R. (2013, July 15). A framework for understanding noise impacts on wildlife: An urgent conservation priority. *Frontiers in Ecology and the Environment*, 11(6), 305-313.



- Frick, W. F., Pollock, J. F., Hicks, A. C., Langwig, K. E., Reynolds, D. S., Turner, G. G., Butchkoski, C. M., & Kunz, T. H. (2010). An emerging disease causes regional population collapse of a common North American bat species. *Science*, 329, 679-682.
- Gamble, T., Berendzen, P. B., Shaffer, H. B., Starkey, D. E., & Simons, A. M. (2008). Species limits and phylogeography of North American cricket frogs (Acris: Hylidae). *Molecular phylogenetics and evolution*, 48(1), 112-125.
- Gardner, J. E., Garner, J. D., & Hofmann, J. E. (1991a). *Summary of Myotis sodalis summer habitat in Illinois: with recommendations for impact assessment* (p. 28). Report to Illinois Natural History Survey/Illinois Department of Conservation.
- Gardner, J. E., Garner, J. D., & Hofmann, J. E. (1991b). *Summer roost selection and roosting behavior of Myotis sodalis (Indiana bat) in Illinois* (p. 56). Unpublished report. Illinois Natural History Survey, Illinois Department of Conservation, Section of Faunistic Surveys and Insect Identification. Champaign, Illinois.
- Garroway, C. J., & Broders, H. G. (2008). Day roost characteristics of northern long-eared bats (*Myotis septentrionalis*) in relation to female reproductive status. *Ecoscience*, 15, 89-93.
- Gawlik, D. E., & Bildstein, K. L. (1993). Seasonal habitat use and abundance of loggerhead shrikes in South Carolina. *Journal of Wildlife Management*, 57, 352-357.
- Geluso, K. N., Altenbach, J. S., & Wilson, D. E. (1976). Bat mortality: pesticide poisoning and migratory stress. *Science*, 194, 184-186.
- Geluso, K., Damm, J. P., & Valdez, E. W. (2008). Late-seasonal activity and diet of the evening bat (*Nycticeius humeralis*) in Nebraska. *Western North American Naturalist*, 68, 21-24.
- Geluso, K., Mollhagen, T. R., Tigner, J. M., & Bogan, M. A. (2005). Westward expansion of the eastern pipistrelle (*Pipistrellus subflavus*) in the United States, including new records from New Mexico, South Dakota, and Texas. *Western North American Naturalist*, 65, 405-409.
- Genoways, H. H. (1985a). *Pygmy Shrew, Microtus hoyi* (pp. 386-388). Species of Special Concern in Pennsylvania, Special Publications, Carnegie Museum of Natural History, Pittsburgh, PA.
- Genoways, H. H. (1985b). *Badger, Taxidea taxus*. (pp. 408-409). Species of Special Concern in Pennsylvania, Special Publications, Carnegie Museum of Natural History, Pittsburgh, PA.
- Gibson, R. J., Haedrich, R. L., & Wernerheim, C. M. (2005). Loss of fish habitat as a consequence of inappropriately constructed stream crossings. *Fisheries*, 30(1), 10-17.
- Goehring, H. H. (1954). *Pipistrellus subflavus obscurus*, *Myotis keenii*, and *Eptesicus fuscus fuscus* hibernating in a storm sewer in central Minnesota. *Journal of Mammalogy*, 35(3), 434-436.
- Gormanson, Dale D. (2018). *Forest of Indiana, 2017* (p. 4). Resource Update FS-165. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northern Research Station. <https://doi.org/10.2737/FS-RU-165>
- Global Biodiversity Information Facility. (2021a). *Dryobius sexnotatus* Linsley, 1957. Global Biodiversity Information Facility, Copenhagen, Denmark. <https://www.gbif.org>
- Global Biodiversity Information Facility. (2021a). *Ephemera excrucians* Walsh, 1862. Global Biodiversity Information Facility, Copenhagen, Denmark. <https://www.gbif.org>
- Griffin, D. R. (1940). Migration of New England bats. *Bulletin of the Museum of Comparative Zoology at Harvard College, Cambridge, Massachusetts*, 86, 217-246.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

- Griffin, D.R. (1945). Travels of banded cave bats. *Journal of Mammalogy*, 26(1), 15-23.
- Groundwater Foundation. (2021). *The Basics*. <https://www.groundwater.org/get-informed/basics/groundwater.html>
- Grunder, S. A., Markham, J. L., Sullivan, W. P., Eilers, C., Tallon, K., & McGarry, D. (2021). A review of sea lamprey control in Lake Erie, 2000–2019. *Journal of Great Lakes Research*. <https://doi.org/10.1016/j.jglr.2021.03.019>
- Haag, W. R. (2012). *North American freshwater mussels: natural history, ecology, and conservation* (p. 538). Cambridge University Press, New York, New York.
- Hainly, R. A. (1980). *The effects of highway construction on sediment discharge into Blockhouse Creek and Stream Valley Run, Pennsylvania* (p. 59). U.S. Geological Survey, Water Resources Investigations 80-60, Water Resources Division, Harrisburg, Pennsylvania.
- Hall, J. S., Cloutier, R. J., & Griffin, D. R. (1957). Longevity Records and Notes on Tooth Wear of Bats. *Journal of Mammalogy*, 38(3), 407-409.
- Hamilton, W. J., Jr. (1940). The biology of the smoky shrew (*Sorex fumeus fumeus* Miller). *Zoologica*, 25(29), 473-492.
- Hamilton, W. J., & Whitaker, J. O., Jr. (1979). *Mammals of the eastern United States* (p. 346). Cornell University Press, Ithaca, New York.
- Hammer, D. A. (1992). *Creating Freshwater Wetlands* (p. 298). Lewis Publishers, Boca Raton, Florida.
- Harvey, M. J., Altenbach, J. S., & Best, T. L. (1999). *Bats of the United States* (p. 64). Arkansas Game and Fish Commission, Little Rock, Arkansas.
- Harvey, M. J., Altenbach, J. S., & Best, T. L. (2011). *Little brown bat (little brown myotis), Myotis lucifugus*. (pp. 168-169, 2020). Bats of the United States and Canada. The Johns Hopkins University Press, Baltimore, Maryland.
- Harvey, M. J. & McDaniel, V. R. (1988). Non-cave roosting sites of the endangered gray bat, *Myotis grisescens*, in Arkansas. *Bat Research News*, 29, 47.
- Hassenmueller, N. R., Rexroad, C. B., Powell, R. L., Buehler, M. A. & Bassett, J. L. (2003). *Karst Geology and Hydrology of the Spring Mill Lake and Lost River Drainage Basins in Southern Indiana*. Indiana University Indiana Geological Survey Guidebook 15, 26 p. 2 pl. Bloomington.
- Hatfield, J. (2012). Agriculture in the Midwest. In U.S. National Climate Assessment Midwest Technical Input Report. https://glisa.umich.edu/media/files/NCA/MTIT_Agriculture.pdf
- Hay, W. P. (1891). The crustacea of Indiana. *Proceedings of the Indiana Academy of Science* 1, 147-151.
- Haynes, R. R. (2020, Nov. 5). *Hydrocharitaceae*. Flora of North America Association (Vol. 22). <http://beta.floramerica.org/Hydrocharitaceae>
- Hayssen, V., van Tienhoven, A., & van Tienhoven, A. (1993). Order Chiroptera, Family Vespertilionidae. *As dell's Patterns of Mammalian Reproduction—A Compendium of Species-Specific Data* (pp. 141-166, 1023). Cornell University Press, Ithaca, New York.
- Helms, J. S. (2010). *Little bat and a big city: Nocturnal behavior of the tricolored bat, (Perimyotis subflavus) near Indianapolis Airport* (p. 33). [Master's thesis, Indiana State University, Terre Haute, Indiana].
- Henley, W. F., Patterson, M. A., Neves, R. J., & Lemly, A. D. (2000). Effects of sedimentation and turbidity on lotic food webs: a concise review for natural resource managers. *Reviews in Fisheries Science*, 8, 125-139.



- Herkert, J. R., Kroodsma, D. E., & Gibbs, J. P. (2021). *Grass Wren (Cistothorus platensis)*. Cornell Lab of Ornithology Birds of the World. <https://birdsoftheworld.org/bow/species/sedwre/cur/introduction>
- Hill, Steven R. (2003). *Conservation assessment for the Bradley's spleenwort (Asplenium bradleyi D.C. Eaton)* (p. 24). USDA Forest Service, Eastern Region. Illinois Natural History Survey, Division of Biodiversity and Ecological Entomology, Biotic Surveys and Monitoring Section, Champaign, Illinois. (INHS Technical Report 2007-34).
- Hill, Steven R. (2007). *Conservation assessment for the American featherfoil (Hottonia inflata Ell.)* (p. 36). Prepared for USDA Forest Service, Eastern Region, Shawnee and Hoosier National Forests. Illinois Natural History Survey, Division of Biodiversity and Ecological Entomology, Biotic Surveys and Monitoring Section, Champaign, Illinois. (INHS Technical Report 2007-34).
- Hobbs III, H. H. (1975). Distribution of Indiana cavernicolous crayfishes and their ecto-commensal ostracods. *International Journal of Speleology*, 7(3), 273-302.
- Hobbs III, H. H. (1981). Investigations of the troglobitic crayfish *Orconectes inermis testii* (Hay) in Mayfield's Cave, Monroe County, Indiana. *International Journal of Speleology*, 11, 21-32.
- Hobbs, H. H., Jr., & Barr, T. C, Jr. (1972). Origins and Affinities of the Troglobitic Crayfishes of North America (Decapoda, Astacidae) II Genus *Orconectes*. *Smithsonian Contributions to Zoology*, 49-57.
- Hobbs III, H. H., Holt, P. C., & Walton, M. (1967). The crayfishes and their epizootic ostracod and branchiobdellid associates of the Mountain Lake, Virginia, region. *Proceedings of the United States National Museum*, 123, 47-74.
- Hoffman, A. S. (2010). *Daily activity patterns of Northern Crawfish Frogs (Lithobates areolatus circulosa) in association with crayfish burrows in southeastern Indiana* (p. 16). [Unpublished undergraduate thesis, Hanover College, Indiana].
- Hoffman, A. S., Heemeyer, J. L., Williams, P. J., Robb, J. R., Karns, D. R., Kinney, V. C., Engbrecht, N. J., & Lannoo, M. J. (2010). Strong site fidelity and a variety of imaging techniques reveal around-the-clock and extended activity patterns in crawfish frogs (*Lithobates areolatus*). *Bioscience*, 60, 829-834.
- Hoffman, A. S., Robb, J. R., & Fisher, B. E. (2014). Recent records for mudpuppies (*Necturus maculosus*) in Indiana with notes on presumed declines throughout the Midwest. *Proceedings of the Indiana Academy of Science*, 123, 1-6.
- Home & Business Property Availability*. Zillow and Loopnet. (2021). <https://www.zillow.com>, <https://www.loopnet.com>
- Homer, C., Dewitz, J., Jin, S., Xian, G., Costello, C., Danielson, P., Gass, L., Funk, M., Wickham, J., Stehman, S., Auch, R., & Riitters, K. (2020). *Conterminous United States land cover change patterns 2001-2016 from the 2016 National Land Cover Database*. ISPRS Journal of Photogrammetry and Remote Sensing, 162, 184-199.
- Homoya, M. A. (1982). Additions to the Flora of Southern Indiana. *Proceedings of the Indiana Academy of Science*, 92, 379-382.
- Homoya, M. A. (1984). A floristic survey of acid seep springs in Martin and Dubois Counties, Indiana. *Proceedings of the Indiana Academy of Science*, 93, 323-331.
- Homoya, M. A. (1988). The distribution and status of bog bluegrass (*Poa paludigena*) in Indiana. *Proceedings of the Indiana Academy of Science*, 98, 397-399.
- Homoya, M. A. (2006). A brief survey of the rare terrestrial natural communities and associated vascular flora of the Wabash river corridor in Indiana. *Proceedings of the Indiana Academy of Science*, 115(2), 89-93.

Draft Environmental Impact Statement



MID-STATES
CORRIDOR

- Homoya, M. A., Hedge, C. L., & Hedge, R. L. (1995). Additions to the flora of southern Indiana, V and VI. *Proceedings of the Indiana Academy of Science*, 104(3-4), 213-221.
- Homoya, M. A., Abrell, D. B., Aldrich, J. R., & Post, T. W. (1985). The Natural Regions of Indiana. *Proc. Ind. Acad. Sci.*, 94, 245-268.
- Homoya, Michael A. (2012). *Wildflowers and Ferns of Indiana Forests*.
- Homoya et al., (1985). *The Natural Regions of Indiana*. Indiana Department of Natural Resources. https://www.in.gov/dnr/nature-preserves/files/np-np-Homoya_Aldrich_Abrell_Post_doc.pdf
- Hove, M. C., Sietman, B. E., Berg, M. S., Frost, E. C., Wolf, K., Brady, T. R., Boyer, S. L., & Hornbach, D. J. (2015). Early life history of the sheepnose (*Plethobasus cyphyus*) (Mollusca: Bivalvia: Unionoida). *Journal of Natural History*, 50, 523-542.
- Hoying, K. M. & Kunz, T. H. (1998). Variation in size at birth and post-natal growth in the insectivorous bat *Pipistrellus subflavus* (Chiroptera: Vespertilionidae). *Journal of Zoology*, 245, 15-27.
- Hubert, T. D. (2003). Environmental fate and effects of the lampricide TFM: a review. *Journal of Great Lakes Research*, 29, 456-474.
- Hubricht, L. (1963). New species of Hydrobiidae. *Nautilus*, 76, 138-140.
- Humphries, M. M., Speakman, J. R., & Thomas, D. W. (2006). *Temperature, hibernation energetics, and the cave and continental distributions of little brown myotis* (pp. 23-37, 360). Functional and Evolutionary Ecology of Bats (A. Zubaid, G. F. McCracken, and T. Kunz, eds.). Oxford University Press, Oxford, United Kingdom.
- Humphries, M. H., Thomas, D. W., & Speakman, J. R. (2002). Climate-mediated energetic constraints on the distribution of hibernating mammals. *Nature*, 418, 313-316.
- Humphrey, S. R. (1975). Nursery roosts and community diversity on Nearctic bats. *Journal of Mammalogy*, 56, 321-346.
- Humphrey, S. R. & Cope, J. B. (1976). *Population ecology of the little brown bat, Myotis lucifugus, in Indiana and north central Kentucky* (p. 81). Special Publication No. 4, American Society of Mammalogists.
- Humphrey, S. R. & Gore, J. A. (1992). *Southeastern brown bat* (Vol. 1, pp. 335-342). Rare and Endangered Biota of Florida, Mammals. University Press of Florida, Gainesville, Florida.
- Humphrey, S. R., Richter, A. R., & Cope, J. B. (1977). Summer habitat and ecology of the endangered Indiana bat, *Myotis sodalis*. *Journal of Mammalogy*, 58, 334-346.
- I-67 Corridor Feasibility Study Final Report (p. 96). (2012). Cambridge Systematics for I-67 Development Corp.
- IDEM. (n.d.). *Frequently Asked Questions*. <https://www.in.gov/idem/cleanwater/2470.htm>. (Last accessed 06/23/2020).
- IDEM. (n.d.) *Groundwater Glossary*. <https://www.in.gov/idem/cleanwater/2469.htm>. (Last accessed 06/23/2020).
- IDEM. (n.d.). *Groundwater Section*. <https://www.in.gov/idem/cleanwater/2450.htm>. (Last accessed 03/18/2021).
- IDEM. (n.d.). *Impairments (and other constituents) Considered in Assessing Indiana Waters*. <https://www.in.gov/idem/nps/watershed-assessment/water-quality-assessments-and-reporting/section-303d-list-of-impaired-waters/impairments-and-other-constituents-considered-in-assessing-indiana-waters/>. (Last accessed 10/04/2021).



IDEML. (n.d.). *Indiana Storm Water Quality Manual*. <https://www.in.gov/idem/stormwater/2363.htm>. (Last accessed 03/18/2021).

IDEML. (n.d.). *Integrated Water Monitoring and Assessment Report*. <https://www.in.gov/idem/nps/watershed-assessment/water-quality-assessments-and-reporting/integrated-water-monitoring-and-assessment-report/>

IDEML. (n.d.). *Integrated Water Monitoring and Assessment Report, IDEM's 2020 Integrated Water Monitoring and Assessment Report Appendices*. <https://www.in.gov/idem/nps/watershed-assessment/water-quality-assessments-and-reporting/integrated-water-monitoring-and-assessment-report/>. (Last accessed 10/04/2021).

IDEML. (n.d.). *Section 303(d) List of Impaired Waters. Appendix L of the 2020 Integrated Water Monitoring and Assessment Report*. <https://www.in.gov/idem/nps/watershed-assessment/water-quality-assessments-and-reporting/section-303d-list-of-impaired-waters/>. (Last accessed 10/04/2021).

IDEML. (n.d.). *Source Water Protection*. <https://www.in.gov/idem/cleanwater/information-about/source-water-protection/>. (Last accessed 03/31/2021).

IDEML. (n.d.). *Statewide Groundwater Monitoring Section*. <https://www.in.gov/idem/cleanwater/information-about/groundwater-monitoring-and-source-water-protection/statewide-groundwater-monitoring-network/>. (Last accessed 04/28/2021).

IDEML. (n.d.). *Total Maximum Daily Load Reports*. <https://www.in.gov/idem/nps/resources/total-maximum-daily-load-reports/>. (Last accessed 10/04/2021).

IDEML. (2004). *Total Maximum Daily Load (TMDL) for Escherichia coli (E. coli) For the Prairie Creek Watershed, Daviess County* (p. 40).

IDEML. (2005). *Total Maximum Daily Load (TMDL) for Escherichia coli (E. coli) For the First Creek Watershed, Martin, Daviess, and Greene Counties* (p. 36).

IDEML. (2018). *Total Maximum Daily Load Report for the Lower Salt Creek Watershed. Prepared for: U.S. Environmental Protection Agency Region 5* (p. 235).

IDEML. (2019). *Proper Investigative Techniques in Karst*. IDEML.

IDEML. (2019). *Total Maximum Daily Load Report for the Lower East Fork White River Watershed* (p. 235). U.S. Environmental Protection Agency Region 5.

IDEML. (2020). *Importance of wetlands*. <https://www.in.gov/idem/wetlands/importance-of-wetlands/>

IDEML. (2021). <https://www.in.gov/idem/wetlands/importance-of-wetlands/>

IDEML. (2021). *303d Streams Tool*. <https://www.in.gov/idem/nps/online-e303d-tool/>

IDNR. (2010). *Indiana Statewide Forest Assessment 2010*. Indiana Department of Natural Resources Division of Forestry.

IDNR. (2020). *Indiana Forest Action Plan*. <https://www.in.gov/dnr/forestry/files/fo-Forest-Action-Plan2020.pdf>

IDNR. (2020a). *Endangered and special concern species list*. Indiana Department of Natural Resources, Division of Nature Preserves, Natural Heritage Data Center, Indianapolis, Indiana. 2 pp.

IDNR. (2020b). *Endangered, Threatened, Rare and Extirpated Plants of Indiana*. Indiana Department of Natural Resources Division of Nature Preserves, Natural Heritage Data Center, Indianapolis, Indiana. 20 pp.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

IDNR. (2020c). *List of endangered, threatened, & rare species by county*. Indiana Department of Natural Resources, Division of Nature Preserves, Natural Heritage Data Center, Indianapolis, Indiana. <https://www.in.gov/dnr/nature-preserves/heritage-data-center/endangered-plant-and-animal-species/county/>

IDNR (2020d). *Birds of Indiana*. Indiana Department of Natural Resources. https://www.in.gov/dnr/fish-and-wildlife/files/fw-Birds_Of_Indiana.pdf. (Last accessed 10/01/2021)

IDNR. (2020e). *Indiana Forest Action Plan, 2020 Update*. Indiana Department of Natural Resource Division of Forestry.

IDNR. (2021). *Bald Eagle*. Indiana Department of Natural Resources. <https://www.in.gov/dnr/fish-and-wildlife/wildlife-resources/animals/bald-eagle/>

IDNR. (n.d.). *The Role of Forest Openings*. Indiana Department of Natural Resources Division of Forestry. https://www.in.gov/dnr/forestry/files/fo-Role_of_Forest_Openings.pdf

IDNR Bicentennial Nature Trust. (2021). <https://www.in.gov/dnr/land-acquisition/bicentennial-nature-trust/>

IDNR Fish and Wildlife. (n.d.). *The Status of Wetlands in Indiana*. <https://www.in.gov/dnr/fish-and-wildlife/files/statusof.pdf>

IDNR Forestry Information Resources. (n.d.). *Indiana Forest Industry Overview*. <https://www.in.gov/dnr/forestry/forest-industry-overview/>

IDNR Goose Pond Fish & Wildlife Area. (2020). <https://www.in.gov/dnr/fish-and-wildlife/properties/goose-pond-fwa/>

IDNR Natural Heritage Data Center Coordinator. (2021). <https://www.in.gov/dnr/nature-preserves/heritage-data-center/about-inhdc/>

Illinois Department of Public Health. (2009). *Environmental Health Fact Sheet: Polychlorinated Biphenyls (PCBs)*. <http://www.idph.state.il.us/envhealth/factsheets/polychlorinatedbiphenyls.htm>. (Last accessed 10/04/2021).

Indiana Administrative Code. (2021). *Article 8 Public Water Supply*. http://iac.iga.in.gov/iac//iac_title?iact=327. (Last accessed 04/28/2021).

Indiana Administrative Code. (2018). *Article 8 Public Water Supply, Rule 4.1 Wellhead Protection (327 IAC 8-4.1)*. IAC.

IDNR. (2021). *Indiana Classified Forest and Wildlands Program*. <https://www.in.gov/dnr/forestry/programs/classified-forest-and-wildlands/>

IDNR. (n.d.). *Community Assistance & Information*. <https://www.in.gov/dnr/water/2459.htm>. (Last accessed 06/22/2020).

IDNR. (2014). *DNR Authority 312 IAC 10: Floodplain Management* (312 IAC 10: Floodplain Management).

IDNR. (2018). *Floodplain Management in Indiana Quick Guide*. IDNR Division of Water.

IDNR. (2021). Indiana State Historic Architectural and Archaeological Research Database (SHAARD). <https://www.in.gov/dnr/historic-preservation/help-for-owners/national-and-state-registers/shaard-database/>

IDNR. (n.d.). *Indiana Floodplain Mapping*. <https://www.arcgis.com/apps/MapSeries/index.html?appid=f9d2d47776824df09051f4703153b355>. (Last accessed 04/26/2021).

IDNR. (n.d.). *The Indiana Best Available Floodplain Mapping*. <https://www.in.gov/dnr/water/9846.htm>. (Last accessed 06/22/2020).



- IDNR. (n.d.). *Indiana Floodplain Information Portal*. <https://dnrmmaps.dnr.in.gov/appspHP/fdms/>. (Last accessed 06/22/2020).
- IDNR. (n.d.). *Significant Water Withdrawal Facility (SWWF) Registration – Indiana Code 14-25-7-15*. <https://www.in.gov/dnr/water/4847.htm#:~:text=With%20the%20enactment%20of%20Indiana,from%20the%20surface%20or%20ground%22>. (Last accessed 06/23/2020).
- IDNR. (n.d.). *Freshwater Mussels*. <https://www.in.gov/dnr/fish-and-wildlife/wildlife-resources/animals/freshwater-mussels/>. (Last accessed 10/04/2021).
- IDNR. (2018). *Indiana Stream & Wetland Mitigation Program Final In-Lieu Fee Program Instrument*. Indiana Department of Natural Resources and Indiana Natural Resources Foundation.
- INDOT. (2008). Procedural Manual for Preparing Environmental Documents. https://www.in.gov/indot/engineering/files/Procedural_Manual_for_Preparing_Environmental_Studies_2008.pdf
- INDOT. (2013). *2013 Design Manual Chapter 203 Hydraulics and Drainage Design*. (Rev. Apr. 2017).
- INDOT. (2017). *Traffic Noise Analysis Procedure*. <https://www.in.gov/indot/files/2017-INDOT-Noise-Policy.pdf>
- INDOT. (2019). 2018 – 2045 Future Transportation Needs Report (p. 123).
- INDOT. (2021). *Categorical Exclusion Manual*. <https://www.in.gov/indot/engineering/files/Categorical-Exclusion-Manual-February-2021.pdf>. (Last accessed 04/26/2021).
- INDOT. (2021). INDOT STIP. <https://www.in.gov/indot/resources/state-transportation-improvement-program-stip/>
- INDOT. (2021). *I-69 Evansville to Indianapolis Tier 1 Studies Final Environmental Impact Statement*. <https://www.in.gov/indot/projects/i69/>. (Last accessed 11/22/2021).
- Indiana General Assembly. (2020). Flood Control Act (IC 14-28-1). <http://iga.in.gov/legislative/laws/2020/ic/titles/014#14-28-1>. (Last accessed 06/22/2020).
- Indiana General Assembly. (2020). Indiana Water Resource Management Act (IC 14-25-7). <http://iga.in.gov/legislative/laws/2020/ic/titles/014#14-25-7>. (Last accessed 07/21/2020).
- Indiana Geological Survey. (2015). *Aquifer_Sensitivity_Near_Surface_IN: Aquifer sensitivity in shallow aquifers, Indiana metadata* (Indiana Geological Survey, 100-Meter TIFF Image). (Last accessed 04/28/2021).
- Indiana Geological & Water Survey Indiana University. (2015). *Map of Indiana Showing Near-Surface Aquifer Sensitivity*. https://igws.indiana.edu/bookstore/details.cfm?Pub_Num=MM93. (Last accessed 04/28/2021).
- Indiana Geological and Water Survey. (2021). <https://igws.indiana.edu/>
- Indiana Herp Atlas. (2021a). *Cottonmouth - Agkistrodon piscivorus*. Purdue University Fort Wayne, Environmental Resource Center of Excellence. https://www.inherpatlas.org/species/agkistrodon_piscivorus. (Last accessed 09/14/2021).
- Indiana Herp Atlas. (2021b). *Rough green snake – Opheodrys aestivus*. Purdue University Fort Wayne, Environmental Resource Center of Excellence. https://www.inherpatlas.org/species/opheodrys_aestivus. (Last accessed 09/14/2021).
- Indiana Karst Conservancy. (2021). <https://ikc.caves.org/>

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

- Indiana Land Trusts. (2021). <https://www.protectindianaland.org/indiana-land-trusts>
- Indiana Map. (2009). *Watershed Boundary Dataset (WBD) - 12-Digit Subwatershed Boundaries*. https://maps.indiana.edu/previewMaps/Hydrology/Watersheds_HUC12_2009.html. (Last accessed 10/04/2021).
- Indiana Map. (2018). <https://maps.indiana.edu>. (Last accessed Mar. 2021).
- Indiana 15 Regional Planning Commission. (2008). *Upper Anderson River Project Watershed Management Plan* (pp. 32) Indiana Department of Environmental Management.
- International Conference on Ecology & Transportation (ICOET) 2001 Proceedings http://www.icoet.net/ICOET_2001/01proceedings_directory.html (*link no longer valid, access at https://trid.trb.org/*)
- Jackson, Marion T. (1997). The Natural Heritage of Indiana.
- Jackson, H.B., & Fahring, L. (2013). *Habitat Loss and Fragmentation* (2nd ed., p. 50-58). Encyclopedia of Biodiversity.
- Jacobsen, T. D. & McNeal, W., Jr. (1993). Flora of North America Association (Vol. 3). <http://www.efloras.org/>
- Jacot, P. (1938). Four New Arthropods from New England. *American Midland Naturalist*, 20(3), 571-574.
- Jaeger, J. A. G., Bowman, J., Brennan, J., Fahrig, L., Bert, D., Bouchard, J., Charbonneau, N., Frank, K., Gruber, B., Von Toschanowitz, K. T. (2005). Predicting when animal populations are at risk from roads: An interactive model of road avoidance behavior. *Ecological Modeling*, 185, 329-348.
- Jahangirzadeh, A., Basser, H., Akib, S., Karami, H., Naji, S., & Shamshirband, S. (2014). *Experimental and numerical investigation of the effect of different shapes of collars on the reduction of scour around a single bridge pier*. PLoS ONE 9.
- Jepsen, S., Schweitzer, D. F., Young, B. E., Sears, N., Ormes, M., & Black, S. H. (2015). *Conservation status and ecology of monarchs in the United States* (p. 36). NatureServe, Arlington, Virginia, and the Xerces Society for Invertebrate Conservation, Portland, Oregon.
- Johnson, B. K., & Christiansen, J. L. (1976). The food and food habits of Blanchard's cricket frog, *Acris crepitans blanchardi* (Amphibia, Anura, Hylidae), in Iowa. *Journal of Herpetology*, 63-74.
- Johnson, J. S., Scafini, M. R., Sewall, B., & Turner, G. G. (2016). Hibernating bat species in Pennsylvania use colder winter habitats following the arrival of white-nose syndrome, *Conservation and Ecology of Pennsylvania's Bats* (C.M. Butchkoski, D.M. Reeder, G.G. Turner, and H.P. Whidden, eds.) (Ch. 12, p. 267). *Pennsylvania Academy of Science, East Stroudsburg, Pennsylvania*.
- Johnson, J. B., Menzel, M. A., Edwards, J. W., & Ford, W. M. (2002). Gray bat night-roosting under bridges. *Journal of the Tennessee Academy of Science*, 77, 91-93.
- Johnson, S. A., Brack, Vr., Jr., & Rolley, R. E. (1998). Overwinter weight loss of Indiana bats (*Myotis sodalis*) from hibernacula subject to human visitation. *American Midland Naturalist*, 139, 255-261.
- Jones, C., & Manning, R. W. (1989). *Myotis austroriparius*. *Mammalian Species*, 332, 1-3.
- Jones, J. W., & Neves, R. J. (2002). Life history and propagation of the endangered fanshell pearl mussel, *Cyprogenia stegaria* Rafinesque (Bivalvia:Unionidae). *Journal of the North American Benthological Society*, 21(1), 76-88.
- Junge, J. A., & Hoffmann, R. S. (1981). An annotated key to the long-tailed shrews (Genus *Sorex*) of the United States and Canada, with notes on Middle American *Sorex*. *Occasional Papers of the Museum of Natural History, University of Kansas*, 94, 1-48.



- Kannan, K., Yun, S. H., Rudd, R. J., & Behr, M. (2010). High concentrations of persistent organic pollutants including PCBs, DDT, PBDEs and PFOS in little brown bats with white-nose syndrome in New York, USA. *Chemosphere*, 80, 613-618.
- Kapfer, J. M., Munoz, D. J., Groves, J. D., & Kirk, R. W. (2013). Home range and habitat preferences of Eastern Box Turtles (*Terrapene carolina Linnaeus, 1758*) in the Piedmont Ecological Province of North Carolina (USA). *Herpetology Notes*, 6, 251-263.
- Kaufman, K. (1996). *Lives of North American Birds*. Houghton Mifflin Harcourt Publishing Company. <https://www.audubon.org/field-guide/bird/>
- Keen, R., & Hitchcock, H. B. (1980). Survival and longevity of the little brown bat (*Myotis lucifugus*) in southeastern Ontario. *Journal of Mammalogy*, 61, 1-7.
- Kenk, R. (1970). Freshwater tricladts (Turbellaria) of North America. III. *Sphallopiana weingartneri* new species, from a cave in Indiana. *Proceedings of the Biological Society of Washington*, 83(29), 313-320.
- Kerr, S. J., Davison, M. J., & Funnell, E. (2011). *A review of lake sturgeon habitat requirements and strategies to protect and enhance sturgeon habitat* (pp. 88). Ontario Ministry of Natural Resources, Biodiversity Section, Fisheries Policy Section.
- King, A. (2019). *2019 Indiana bat (Myotis sodalis) population status update* (pp. 9). U.S. Fish and Wildlife Service, Indiana Ecological Services Field Office.
- Kim, M.H., Ritz, C.T., & Arvin, D.V. (2012). *Method for estimating potential wetland extent by utilizing streamflow statistics and flood-inundation mapping techniques—Pilot study for land along the Wabash River near Terre Haute, Indiana*. U.S. Geological Survey Scientific Investigations Report 2012-5175.
- Kimble, S. J. A., Rhodes, O. E., Jr., & Williams, R. N. (2014). *Unexpectedly Low Rangewide Population Genetic Structure of the Imperiled Eastern Box Turtle Terrapene c. carolina*. PLoS ONE 9(3): e92274. <https://doi.org/10.1371/journal.pone.0092274>
- Kinney, V. C., & Lannoo, M. J. (2010). *Lithobates areolatus circulosus* (northern crawfish frog). Breeding. *Herpetological Review*, 41, 197-198.
- Klimaszewski, J., & Peck, S. B. (1986). A review of the cavernicolous Staphylinidae (Coleoptera) of eastern North America: Part I. Aleocharinae. *Quaestiones Entomologicae*, 22(2), 51-113.
- Klimaszewski, J., Langor, D. W., Bourdon, C., Gilbert, A., & Labrecque, M. (2016). Two new species and new provincial records of aleocharine rove beetles from Newfoundland and Labrador, Canada (Coleoptera, Staphylinidae, Aleocharinae). *ZooKeys*, 593, 49-89.
- Korinek, Ginger. (2013). *Watershed Management Plan for the Lost River Watershed* (p. 382). Lost River Watershed Partnership. Indiana Department of Environmental Management.
- Kricher, J. C. (2020). *Black-and-white Warbler (Mniotilla varia)*. Cornell Lab of Ornithology. Birds of the World. <https://birdsoftheworld.org/bow/species/bawwar/cur/introduction>. (Last accessed Sept. 2021.)
- Krochmal, A. R., & Sparks, D. W. (2007). Timing of Birth and Estimation of Age of Juvenile *Myotis septentrionalis* and *Myotis lucifugus* in West-Central Indiana. *Journal of Mammalogy*, 88(3), 649-656.
- Krynak, T. (2010). *Bat habitat use and roost tree selection for Northern long-eared Myotis (Myotis septentrionalis) in North-Central Ohio*. (pp.84) [Master's thesis, John Carroll University, University Heights, Ohio].

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

- Kundell, J. E., & Rasmussen, T. C. (1995). *Recommendations of the Board of Reagents' scientific panel on evaluating the erosion and measurement standards defined by the Georgia Erosion and Sedimentation Act*. Pages 211-217 in Georgia Water Resources Conference, 11-12 April 1995, The University of Georgia, Athens, Georgia.
- Kunz, T. H. (1971). Reproduction of some vespertilionid bats in central Iowa. *American Midland Naturalist*, 86, 477-486.
- Kunz, T. H., & Reichard, J. (2010). *Status review of the little brown myotis (*Myotis lucifugus*) and determination that immediate listing under the endangered species act is scientifically and legally warranted*. Boston University's Center for Ecology and Conservation Biology.
- Kurta, A. (1995). *Bats (Order Chiroptera) in Mammals of the Great Lakes Region* (pp. 212). The University of Michigan Press, Ann Arbor, Michigan.
- Kurta, A. (2004). *Roosting ecology and behavior of Indiana bats (*Myotis sodalis*) in summer*. Indiana Bat and Coal Mining, A Technical Interactive Forum (K.C. Vories and A. Harrington, eds.) (pp. 29-42). Office of Surface Mining, U.S. Department of the Interior, Alton, Illinois.
- Kurta, A. (2008). *Bats of Michigan*. Indiana State Center for North American Bat Research and Conservation, Publication 2.
- Kurta, A., Caryl, J. & Lipps, T. (1997). Bats and Tippy Dam: species composition, seasonal use, and environmental parameters. *Michigan Academician*, 29, 473-490.
- Kurta, A., Hough, E., Winhold, L., & Foster, R. (2005). The evening bat (*Nycticeius humeralis*) on the northern edge of its range—a maternity colony in Michigan. *American Midland Naturalist*, 154, 264-267.
- Kurta, A., King, D., Teramino, J. A., Sibley, J. M., & Williams, K. J. (1993). Summer roosts of the endangered Indiana bat (*Myotis sodalis*) on the northern edge of its range. *American Midland Naturalist*, 129, 132-138.
- Kurta, A., & Murray, S. W. (2002). Philopatry and migration of banded Indiana bats (*Myotis sodalis*) and effects of radio transmitters. *Journal of Mammalogy*, 83, 585-589.
- Kurta, A., Murray, S. W., & Miller, D. H. (2002). Roost selection and movements across the summer landscape. *The Indiana Bat: Biology and Management of an Endangered Species* (A. Kurta and J. Kennedy, eds.) (pp. 118-129). Bat Conservation International, Austin, Texas.
- Kurta, A., & Teramino, J. (1994). A Novel Hibernaculum and Noteworthy Records of the Indiana Bat and Eastern Pipistrelle (Chiroptera: Vespertilionidae). *American Midland Naturalist*, 132(2), 410-413.
- Lacki, M. J., & Schwierjohann, J. H. (2001). Day-roost characteristics of northern bats in mixed mesophytic forests. *The Journal of Wildlife Management*, 65, 482-488.
- Laerm, J., Ford, W. M., & Chapman, B. R. (2007). Smokey shrew. *The Land manager's Guide to Mammals of the South* (M. K. Trani, W. M. Ford, and B R. Chapman, eds.) (pp 95-97). The Nature Conservancy, Southeastern Region, Durham, North Carolina and U.S. Forest Service, Southern Region, Atlanta, Georgia.
- Laerm, J., Ford, W. M., & Weinand, D. D. (1994). Additional Records of the Pygmy Shrew, *Sorex hoyi winnemana* (Prestle (Insectivora: Soricidae), in Western North Carolina. *Brimleyana*, 21, 91-96.
- LaVal, R. K., Clawson, R. L., LaVal, M. L., & Caire, W. (1977). Foraging behavior and nocturnal activity patterns of Missouri bats, with emphasis on the endangered species *Myotis grisescens* and *Myotis sodalis*. *Journal of Mammalogy*, 58, 592-599.



LaVal, R. K. & LaVal, M. L. (1980). Ecological studies and management of Missouri bats, with emphasis on cave-dwelling species. Missouri Department of Conservation. *Terrestrial Series*, 8, 1-53.

Lee, Y. M., Attum, O., Enander, H. D., & Kingsbury, B. A. (2007). *Population monitoring and habitat characterization for the conservation and recovery of the northern population of the copperbelly water snake (Nerodia erythrogaster neglecta)* (pp.71). U.S. Department of the Interior, Fish and Wildlife Service (Report No. 2007-04), Region 3, Fort Snelling, Minnesota.

Lenahan, O. M. (2009). *Genetic profile and horticultural evaluation of Styra x americanus (American snowbell)* (p. 94). [Ph.D. dissertation, Iowa State University, Ames, Iowa].

Les, D. H., & Capers, R. S. (1999). Limnobium spongia (Hydrocharitaceae) discovered in New England. *Rhodora*, 101(908), 419-423.

Lewis, J. J. (2002a). *Conservation Assessment for Bollman's Cave Milliped (Conotyla bollmani)* (pp. 8). USDA Forest Service, Eastern Region, Milwaukee, Wisconsin.

Lewis, J. J. (2002b). *Conservation Assessment for Cavernicolous Sheet-Web Spider (Porrhomma cavernicolum)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002c). *Conservation Assessment for Cavernicolous Springtail (Sinella cavernarum)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002d). *Conservation Assessment for Fountain Cave Springtail (Pseudosinella fonsa)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002e). *Conservation Assessment for Indiana Cave Springtail (Sinella alata)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002f). *Conservation Assessment for Marengo Cave Ground Beetle (Pseudanophthalmus stricticollis)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002g). *Conservation for Northern Cave Crayfish (Orconectes inermis)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002h). *Conservation Assessment for Northern Cavefish (Amblyopsis spelaea)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002i). *Conservation Assessment for Packard's Cave Amphipod (Crangonyx packardi)*. USDA Forest Service, Eastern Region.

Lewis, J. J. (2002j). *Conservation Assessment for Young's Cave Ground Beetle (Pseudanophthalmus youngi)*. USDA Forest Service, Eastern Region.

Lewis, J. J., & Lewis, S. L. (2008). *The Cave Fauna of the Garrison Chapel Karst Area: Part I, Wayne Cave*. USDA Forest Service, Eastern Region.

Lewis, J. J., & Lewis, S. L. (2009). Range extension of the groundwater ostracod Pseudocandona jeannelli (Crustacea: Ostracoda: Candoridae). *Speleobiology Notes*, 1(1), 14-16.

Lewis, J. J., Moss, P., Tecic, D., & Nelson, M. E. (2003). A conservation focused inventory of subterranean invertebrates of the southwest Illinois Karst. *Journal of Cave and Karst Studies*, 65(1), 9-21.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

- Liu, H. P., Schroeder, L., Berry, A., & Dillon, R. T. (2021). High levels of mitochondrial DNA sequence divergence among isolated populations of Fontigens (Truncatelloidea: Emmericiidae) in eastern USA. *Journal of Molluscan Studies*, 87(3), eyab026.
- Lochmueller Group. (2017). *Mid-States Corridor White Paper* (p. 7).
- Long, C. A. (1973). Taxidea taxus. *Mammalian Species*, 26, 1-4.
- Loogootee, Indiana Parks and Recreation Master Plan 2021-2025. <https://www.loogootee.com/government/loogootepapers/loogooteeparksandrecreationmasterplan.pdf>
- Lost River Watershed Management Plan. (2013, Aug. 8). https://ecm.idem.in.gov/cs/idcplg?IdcService=GET_FILE&dID=83086711&dDocName=83086716&Rendition=web&allowInterrupt=1&noSaveAs=1
- Lowe, A. J. (2012). *Swarming behaviour and fall roost-use of little brown (*Myotis lucifugus*), and northern long-eared bats (*Myotis septentrionalis*) in Nova Scotia, Canada*. [Master's thesis. St. Mary's University, Halifax, Nova Scotia, Canada].
- Mark, R. & Gordon, S. A. (2004). An inventory of the herbaceous plants of the Twin Swamps Nature Preserve, Posey County, Indiana. *Proceedings of the Indiana Academy of Science*, 113(1), 17-25.
- Marti, C. D., Poole, A. F., Bevier, L. R., Bruce, M. D., Christie, D., Kirwan, G. M., & Marks, J. S. (2020). *Barn owl (Tyto alba)*. in *The Birds of North America Online* (P. G. Poole, ed.) (p. 6). <https://birdsoftheworld.org/bow/species/brownl/cur/introduction>
- Matson, T. O. (1990). Estimation of numbers for a riverine Necturus population before and after TFM lampricide exposure. *Kirtlandia*, 45, 33-38.
- McCafferty, P. (2000). *Wallace's Deepwater Mayfly (Spinadis simplex)*. NatureServe. (Last accessed 09/15/2021).
- McCallum, M. L., Brooks, C., Mason, R., and Trauth, S. E. (2011). Growth, reproduction, and life span in Blanchard's Cricket Frog (*Acris blanchardi*) with notes on the growth of the Northern Cricket Frog (*Acris crepitans*). *Herpetology Notes*, 4, 25-35.
- McCandless, J.R. (2005). *Field surveys and use of a spatially realistic stochastic patch occupancy model to evaluate the conservation status of the northern cavefish, Amblyopsis spelaea DeKay*. [Ph.D. dissertation University of Louisville, Louisville, Kentucky].
- McDaniel, T. V., Martin, P. A., Barrett, G. C., Hughes, K., Gendron, A. D., Shirose, L., & C. A. (2009). Bishop Relative Abundance, Age Structure, and Body Size in Mudpuppy Populations in Southwestern Ontario. *Journal of Great Lakes Research*, 35(2), 182-189.
- McGregor. (2008). Animal Communication Networks. <https://doi.org/10.1017/CBO9780511610363>
- Meadows, William C., & Bair, Charles E. (2000). *An Archaeological Survey of High Probability Water Course Development Areas in the East Fork White River Watershed in South Central Indiana*. Report of Investigations 00-07. Glenn A. Black Laboratory of Archaeology, Indiana University, Bloomington.
- Melton, C. (2020). *Symbiotic germination of *Spiranthes cernua* and *S. vernalis* in Illinois and Identification of mycorrhizal fungus associates of *Platanthera dilatata* in Alaska* (p. 67). [Master's thesis. Southern Illinois University, Edwardsville, Illinois].



Menzel, J. M., Ford, W.M., Menzel, M. A., Carter, T. C., Gardner, J. E., Gardner, J. D., & Hofmann, J. E. (2005a). Summer habitat use and home-range analysis of the endangered Indiana bat. *Journal of Wildlife Management*, 69, 430-436.

Menzel, M. A., Owen, S. F., Ford, W. M., Edwards, J. W., Wood, P. B., Chapman, B. R., & Miller, K. V. (2002). Roost tree selection by northern long-eared bat (*Myotis septentrionalis*) maternity colonies in an industrial forest of the central Appalachian Mountains. *Forest Ecology and Management*, 155, 107-114.

Mid-States Environmental Justice Outreach Plan. (2021, May 4). <https://midstatescorridor.com/wp-content/uploads/2021/06/Environmental-Justice-Outreach-Plan.pdf>

Middle Patoka Source Water Protection Plan. (2012, Apr. 1). <https://ecm.idem.in.gov/cs/idcplg?IdcService=GETFILE&dID=83089482&dDocName=83089487&Rendition=web&allowInterrupt=1&noSaveAs=1>

Miller, Shaun A. (2006). *Phase Ia Archaeological Field Reconnaissance: Proposed US 231 Jasper/Huntingburg Bypass, Dubois County, Indiana*. Landmark Archaeological and Environmental Services, Inc. Sheridan, Indiana.

Miller, J. A. (2005). A redescription of *Porrhomma cavernicola* Keyserling (Araneae, Linyphiidae) with notes on Appalachian troglobites. *The Journal of Arachnology*, 33(2), 426-438.

Minton, S. A., Jr. (2001). Amphibians and Reptiles of Indiana (Revised 2nd ed., p. 404). *Indiana Academy of Science, Indianapolis, Indiana*.

Mirowsky, K. M., Horner, P. A., Maxey, W. W., & Smith, S. A. (2004). Distributional records and roosts of southeastern Myotis and Rafinesque's big-eared bat in eastern Texas. *The Southwestern Naturalist*, 49, 294-298.

Missouri Botanical Garden. (n.d.). *Styrax americanus*. <https://www.missouribotanicalgarden.org/PlantFinder/PlantFinderDetails.aspx?taxonid=287280&isprofile=1&gen=Styrax>

Missouri Department of Conservation. (2000). *Best management practices, Gray bat (Myotis grisescens)* (p. 2). Jefferson City, Missouri.

Mitsch, W. J. & Gosselink, J. G. (1986). *Wetlands* (p. 539). Van Nostrand Reinhold, New York, New York.

Moore, P. R., Risch, T. S., Morris, D. K., & McNew, L. B. (2017). Habitat use of female gray bats assessed using aerial telemetry. *Journal of Wildlife Management*, 81, 1242-1253.

Morin, N. (2020, Nov. 5). Flora of North America Association (Vol. 3). <http://floranorthamerica.org/Iteaceae>

Muchmore, W. B. (1967). New cave pseudoscorpions of the genus *Apochthonius* (Arachnida. Chelonethida). *Ohio Journal of Science*, 67(2), 89-95.

Muchmore, W. B. (1994). Some pseudoscorpions (Arachnida: Pseudoscorpionida) from caves in Ohio and Indiana, USA. *Transactions of the American Microscopical Society*, 113(3), 316-324.

Mumford, R. E., & Cope, J. B. (1964). Distribution and status of the Chiroptera of Indiana. *American Midland Naturalist*, 72(2), 473-489.

Mumford, R. E., & Whitaker, J. O., Jr. (1982). *Mammals of Indiana* (p. 537). Indiana University Press, Bloomington, Indiana.

Murphy, M. O. (2016). A review of Common Mudpuppy (*Necturus maculosus*) capture methods and description of a revised trap design. *Herpetological Review*, 47(4), 575-578.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

- Murray, S. W., & Kurta, A. (2002). Spatial and temporal variation in diet. *The Indiana Bat: Biology and Management of an Endangered Species* (A. Kurta and J. Kennedy, eds.) (pp. 182-192). Bat Conservation International, Austin, Texas.
- Nagorsen, D. W., & Brigham, R. M. (1993). *Bats of British Columbia* (p. 164). Royal British Columbia Museum, Victoria, and the University of British Columbia Press, Vancouver.
- Namestnik, S. (2018). The discovery of Rhexia mariana L. var. mariana (Melastomataceae) in northwest Indiana. *The Great Lakes Botanist*, 57, 63-167.
- National Hydrography Dataset. (n.d.). https://www.usgs.gov/core-science-systems/ngp/national-hydrography/national-hydrography-dataset?qt-science_support_page_related_con=0#qt-science_support_page_related_co
- National Landcover Database (NLCD). (n.d.). <http://www.mrlc.gov/>
- National Wetlands Inventory (NWI). (2021, May 3). <http://www.fws.gov/wetlands/>
- Natural Heritage. (2007). *Rough Green Snake (Opheodrys aestivus) [Fact Sheet]*. Pennsylvania Natural Heritage Program.
- NatureServe. (2021). NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.0 NatureServe, Arlington, Virginia. <http://www.natureserve.org/explorer>
- Nelson, J. (n.d.). *Indiana's forests; Past, present, & future*. <http://woodlandsteward.squarespace.com/storage/past-is-sues/indiana%27s%20forest.htm>. (Last accessed 01/02/2022)
- Neuendorf, K. E., Mehl, J. P., Jr., & Jackson, J. A. (2005). *American Geologic Institute Glossary of Geology* (5th ed.) Alexandria, Virginia.
- Neuswanger, J. (2021a). *Mayfly species Dannella simplex (blue-winged olive)*. Aquatic Insect Encyclopedia. <http://www.troutnut.com/hatch/440/Mayfly-Dannella-simplex-Blue-Winged-Olive>
- Neuswanger, J. (2021b). *Mayfly species Ephemerella excrucians (pale morning dun)*. Aquatic Insect Encyclopedia. <http://www.troutnut.com/hatch/459/Mayfly-Ephemerella-excrucians-Pale-Morning-Dun>
- New York Department of Environmental Conservation. (2013). *Species Status Assessment: Fat Pocketbook*. New York Department of Environmental Conservation. https://www.dec.ny.gov/docs/wildlife_pdf/sgcnfatpocketbook.pdf
- Nickerson, C., Morehart, M., Kuethe, T., Beckman, J., Ifft, J., & Williams, R. (2012, February). *Trends in U.S. farmland values and ownership*. EIB-92. United States Department of Agriculture Economic Research Service.
- Niemann, D. A. (1975). *Distribution and habitats of the orchids of Iowa* (p. 195). [Doctorate Dissertation, Iowa State University].
- Niemiller, M. L & Poulson, T. L. (2010). *Subterranean fishes of North America: Amblyopsidae*. (pp. 169-280). Biology of subterrane and fishes.
- Niemiller, M. L., Zigler, K. S., Ober, K. A., Carter, E. T., Engel, A. S., Moni, G., Philips, T. K., & Stephen, C. D. R. (2017). Rediscovery and conservation status of six short-range endemic Pseudanophthalmus cave beetles (Carabidae: Trechini). *Insect Conservation and Diversity*, 10(6), 495-501.
- Njuki, E. (2021, July 29). *A look at agricultural productivity growth in the United States, 1948-2017*. U.S. Department of Agriculture. <https://www.usda.gov/media/blog/2020/03/05/look-agricultural-productivity-growth-unit-ed-states-1948-2017>



Norberg, U. M., & Rayner, J. M. V. (1987). Ecological morphology and flight in bats (Mammalia; Chiroptera): wing adaptations, flight performance, foraging strategy and echolocation. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 316, 335-427.

NRC. (1992). Information Bulletin #2 February 1, 1992. Roster of Indiana Animals, Insects, and Plants that are Extirpated, Endangered, Threatened, Rare or of Special Concern). 15 IR 848.

NRC. (2007). Information Bulletin #2 (Fourth Amendment) August 1, 2007. Roster of Indiana Animals, Insects, and Plants that are Extirpated, Endangered, Threatened, or Rare (also described as Special Concern). DIN 20070815-IR-31207046NRA.

NRC. (2014). Information Bulletin #2 (Sixth Amendment) January 29, 2014. Roster of Indiana Animals, Insects, and Plants that are Extirpated, Endangered, Threatened, or Rare (also described as Special Concern). DIN 20140129-IR-312140023NRA.

NRC. (2015). Information Bulletin #2 (Seventh Amendment) October 7, 2015. Roster of Indiana Animals, Insects, and Plants that are Extirpated, Endangered, Threatened, or Rare (also described as Special Concern). DIN 20151007-IR-312150339NRA.

NRC. (2018). Information Bulletin #2 (Ninth Amendment) November 28, 2018. Roster of Indiana Animals, Insects, and Plants that are Extirpated, Endangered, Threatened, or Rare (also described as Special Concern). DIN 201821128-IR-312180513NRA.

NRC. (2020). Information Bulletin #2 (Tenth Amendment) March 11, 2020. Roster of Indiana Animals, Insects, and Plants that are Extirpated, Endangered, Threatened, or Rare (also described as Special Concern). DIN 20200311-IR-312200085NRA.

NRCS Emergency Watershed Protection Floodplain Easement. (n.d.). <https://www.nrcs.usda.gov/wps/portal/nrcs/detail/ct/programs/financial/ewp/?cid=stelprdb1244478>

NRCS Farm & Ranch Lands Protection Program. https://www.nrcs.usda.gov/wps/portal/nrcs/detail/null/?cid=nrcs141p2_018768

NRCS Grasslands Reserve Program. (n.d.). https://www.nrcs.usda.gov/wps/portal/nrcs/detail/null/?cid=nrcs141p2_036530

NRCS Wetlands Reserve Program (WRP). (n.d.). https://www.nrcs.usda.gov/wps/portal/nrcs/detail/null/?cid=nrcs143_008419

Indiana State Bill 389. <http://iga.in.gov/legislative/2021/bills/senate/389>

Olendorff, R. R. & Stoddart, J. W., Jr. (1974). Potential for management of raptor populations in western grasslands. Management of Raptors. *Raptor Res. Rep. No. 2*, 47-88.

Olson, R. (2013). *Spill retention and runoff filtration structures on Interstate 65 in the vicinity of Mammoth Cave National Park* (pp. 201-202). Proceedings of Mammoth Cave National Park's tenth research symposium, National Park Service.

Orians, G. H. (1980). *Some adaptations of marsh-nesting black-birds*. Princeton University Press, 14, 90-144.

Ortmann, A. E. (1919). A monograph of the naiades of Pennsylvania, Part III: systematic account of the genera and species. *Memoirs of the Carnegie Museum*, 8, 1-384.

Draft Environmental Impact Statement



MID-STATES
CORRIDOR

- Owen, R. D. (1862). *Report of a Geological Reconnoissance of Indiana, made in the years 1859 and 1860, under the direction of the late David Dale Owen, M.D., State Geologist*: Indianapolis, Ind. H. H. Dodd and Co., 368 p., 8 pls. and survey of the state of Indiana in 1837 and 1838.
- Owen, J. G. (1984). Mammalian Species: *Sorex fumeus*. *The American Society of Mammalogists*, 215, 1-8.
- Owen, S. F., Menzel, M. A., Ford, W. M., Edwards, J. W., Chapman, B. R., Miller, K. V., & Wood, P. B. (2002). *Roost tree selection by maternal colonies of Northern long-eared Myotis in an intensively managed forest* (p. 10). USDA Forest Service. Newtown Square, Pennsylvania.
- Ozarkedge. (n.d.). *False garlic (Nothoscordum bivalve)*. <https://ozarkedgewildflowers.com/spring-wildflowers/false-garlic-nothoscordum-bivalve/>
- Page, L. M., Burr, B. B., Beckham, E. C., Sipiorski, J., & Tomelleri, J. (2011). *Peterson field guide to freshwater fishes*. (p. 688). Houghton Mifflin Harcourt, Second Edition.
- Park, K. J., Jones, G., & Ransome, R. D. (2000). Torpor, arousal, and activity of hibernating greater horseshoe bats (*Rhinolophus ferrumequinum*). *Functional Ecology*, 14, 580-588.
- Palmer-Ball, B. L., Jr. (1996). *The Kentucky Breeding Bird Atlas* (p. 372). The University Press of Kentucky, Lexington, Kentucky.
- Parmalee, P. W., & Bogan, A. E. (1998). *The freshwater mussels of Tennessee* (p. 328). University of Tennessee Press, Knoxville, Tennessee.
- Parzefall, J., Durand, J. P., & Richard, B. (1980). Chemical communication in *Necturus maculosus* and his cave-living relative *Proteus anguinus* (Proteidae, Urodela). *Zeitschrift für Tierpsychologie*, 52(2), 133-138.
- Peck, S. B. (1995). The Cave Fauna of Alabama. Part II: The Insects. *Journal of Caves and Karst Studies* 57.
- Penskar, M. R., & Crispin, S. R. (2010). *Special Plant Abstract for Chelone obliqua (purple turtlehead)* (p. 3). Michigan Natural Features Inventory, Lansing, Michigan.
- Perry, R. H., Surdick, R. W., & Anderson, A. M. (1974). Observations on the biology, ecology, behavior, and larvae of *Dryobius sexnotatus* Linsley (Coleoptera: Cerambycidae). *The Coleopterists Bulletin*, 28, 169-176.
- Perry, R. W., & Thill, R. E. (2007). Tree roosting by male and female eastern pipistrelles in a forested landscape. *Journal of Mammalogy*, 88, 974-981.
- Peterjohn, B. G., & Rice, D. (1991). *The Ohio Breeding Bird Atlas*. Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Columbus, OH.
- Pettit, J. L., & O'Keefe, J. M. (2017). Day of year, temperature, wind, and precipitation predict timing of bat migration. *Journal of Mammalogy*, 98, 1236-1248.
- Picklesimer, John W. (2011). Phase Ia Investigations of the Proposed US 231 By-pass Alternate 30 in Patoka and Cass Townships, Dubois County, Indiana. DES. No. 9018810. Gray & Pape, Inc., Bloomington, Indiana.
- Pleasants, J. M., & Oberhauser, K. S. (2013). Milkweed loss in agricultural fields because of herbicide use: effect on the monarch butterfly population. *Insect Conservation and Diversity*, 6, 135-144.



- Pomorski, R. J., Furgol, M., & Christiansen, K. (2009). Review of North American Species of the Genus *Onychiurus* (Collembola: Onychiuridae), With a Description of Four New Species from Caves. *Annals of the Entomological Society of America*, 102(6), 1037-1049.
- Poole, A. F., Lowther, P. E., Gibbs, J. P., Reid, F. A., & Melvin, S. M. (2020). *Least Bittern (Ixobrychus exilis)*. Cornell Lab of Ornithology. Birds of the World. <https://birdsoftheworld.org/bow/species/leabit/cur/introduction>
- Pope, C. H. (1944). *Amphibians and reptiles of the Chicago area*. Chicago natural history museum.
- Poulson, T. L. (1963). Cave adaptation in amblyopsid fishes. *American Midland Naturalist*, 257-290.
- Powell, Keith J.H. (1997). "Underground World: Caves." *The Natural Heritage of Indiana: Indiana Department of Natural Resources and Indiana Academy of Science* (p. 489). Indiana University Press.
- Pruitt, L. (2000). *Loggerhead Shrike Status Assessment*. U.S. Fish and Wildlife Service, Bloomington, Indiana.
- Redmond, Brian G., & McCullough, Robert G. (1993). *Survey and Test Excavations of Late Prehistoric Oliver Phase Components in Marti, Lawrence, and Orange Counties, Indiana*. Reports of Investigations 93-13. Glenn A. Black Laboratory of Archaeology, Indiana University, Bloomington.
- Reeves, W. K. (2000). Invertebrate Cavernicoles of the Great Smoky Mountains National Park, USA. *The Journal of the Elisha Mitchell Scientific Society*, 116, 334-343.
- Reeves, W. K., Jensen, J. B., & Ozier, J. C. (2000). New faunal and fungal records from caves in Georgia, USA. *Journal of Cave and Karst Studies*, 62(3), 169-179.
- Reigle, N. J. (1967). The occurrence of *Necturus* in the deeper waters of Green Bay. *Herpetologica*, 23(3), 232-233.
- Rhodes, D. G. (n.d.). Flora of North America Association (Vol. 3). <http://www.efloras.org/>
- Rockey, C. D., Stumpf, J. P., & Kurta, A. (2013). Additional winter recoveries of Indiana bats (*Myotis sodalis*) banded during summer in Michigan. *Northeastern Naturalist*, 20, N8-N13.
- Rodewald, P. G., Shumar, M. B., Boone, A. T., Slager, D. L., & McCormac, J. (2016). *The second atlas of breeding birds in Ohio* (p. 600). The Pennsylvania State University Press, University Park, Pennsylvania.
- Roe, J. H., Gibson, J., & Kingsbury, B. A. (2006). Beyond the wetland border: Estimating the impact of roads for two species of water snakes. *Biological Conservation*, 130, 161-168.
- Roe, J. H., Kingsbury, B. A., & Herbert, N. R. (2003). Wetland and upland use patterns in semi-aquatic snakes: implications for wetland conservation. *Wetlands*, 23, 1003–1014.
- Roe, K. J. (2002a). *Conservation assessment: The snuffbox, Epioblasma triquetra Rafinesque, 1820* (p. 12). Final Report U.S. Department of Agriculture, Forest Service, Eastern Region.
- Roe, K. J. (2002b). *Conservation assessment for the Ohio pigtoe (Pleurobema cordatum) Rafinseque, 1820*. U.S. Department of Agriculture, Forest Service, Eastern Region, Milwaukee, Wisconsin.
- Roe, K. J. (2002c). *Conservation assessment for the purple lilliput (Toxolasma lividum) Rafinseque, 1831* (p. 11). U.S. Department of Agriculture, Forest Service, Eastern Region, Milwaukee, Wisconsin.
- Roe, K. J. (2003). *Conservation assessment for the salamander mussel (Simpsonia ambigua) Say, 1825*. U.S. Department of Agriculture, Forest Service, Eastern Region, Milwaukee, Wisconsin.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

- Romero-González, G. A., Fernández-Concha, G. C., Dressler, R. L., Magrath, L. K., & Argus Spirantes Vernalis, G. W. (2003, June 1). Flora of North America Association (Vol. 26). http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=242101968
- Roszko, A. (2007). *Sylvilagus aquaticus swamp rabbit*. https://animaldiversity.org/accounts/Sylvilagus_aquaticus/
- Rothrock, P. E. (2004). *Floristic quality assessment in Indiana: The concept, use, and development of coefficients of conservatism* (p. 96). Final Report for ARN A305-4-53, EPA Wetland Program Development Grant CD975586-01.
- Ruch, D. G., Torke, B. G., Badger, K. S., Hess, R. R., Christian, B. N., & Rothrock, P. E. (2008). The vascular flora and vegetational communities of Lick Creek Summit Nature Preserve in Wayne County, Indiana. *Proceedings of the Indiana Academy of Science*, 117(1), 29-54.
- Ruiz, F., Abad, M., Bodergat, A. M., Carbonel, P., Rodríguez-Lázaro, J., González-Regalado, M. L., Toscano, A., García, E. X., & Prenda, J. (2013). Freshwater ostracods as environmental tracers. *International Journal of Environmental Science and Technology*, 10(5), 1115-1128.
- Russ, K., & Williamson, J. (2019). *Home and Garden Information Center*. Clemson Cooperative Extension. Clemson, South Carolina. <https://hgic.clemson.edu/factsheet/virginia-sweetspire/>
- Russell, R. W., Lipps, G. J., Jr., Hecnar, S. J., & Haffner, G. D. (2002). Persistent organic pollutants in Blanchard's Cricket Frogs (*Acris crepitans blanchardi*) from Ohio. *Ohio Journal of Science*, 102(5), 119-122.
- Sasse, D. B., & Pekins, P. J. (1996). *Summer roosting ecology of northern long-eared bats (Myotis septentrionalis) in the White Mountain National Forest*. Bats and Forests Symposium (R. M. R. Barclay and R. M. Brigham, eds.), October 19-21, 1995 (pp. 91-101). Research Branch, British Columbia Minister of Forests Research Program. Victoria, British Columbia, Canada.
- Shear, W. A. (1971). The milliped family Conotylidae in North America with a description of the new family Adritylidae (Diplopoda: Chordeumida). *Bulletin of the Museum of Comparative Zoology*, 141, 55-98.
- Sherrick, B. J. (2017, September). *Farmland ownership: Trends and future implications*. Farm Foundation. https://www.farmfoundation.org/wp-content/uploads/2018/09/IR-Sherrick_IssueReportFINAL-Oct.-2017.pdf
- Shuhaimi-Othman, M., Yakub, N., Ramle, N. A., & Abas, A. (2011). Toxicity of metals to a freshwater ostracod: Stenocypris major. *Journal of Toxicology*, 2011, 136104.
- Simon, T. P. (2001). Checklist of the crayfish and freshwater shrimp (Decapoda) of Indiana. *Proceedings of the Indiana Academy of Science*, 110, 104-110.
- Simon, T. P. (2011). *Fishes of Indiana: A field guide* (p. 345). Indiana University Press, Bloomington, Indiana.
- Slay, M. E., & Graening, G. O. (2009). Recent collections and additional records of Collembola from Arkansas caves. *Journal of the Arkansas Academy of Science*, 63(20).
- Snodgrass, W. R. (2016). *A Guide to the Rare Animals of Tennessee*. Division of Natural Areas. Tennessee Department of Environment & Conservation.
- Soto-Adames, F. N., & Taylor, S. J. (2013). New species and new records of springtails (Hexapoda: Collembola) from caves in the Salem Plateau of Illinois, USA. *Journal of Cave and Karst Studies*, 75(2), 146-175.
- Sparks, D. W., & Choate, J. R. (2000). Distribution, natural history, conservation status, and biogeography of bats in Kansas. Pages 173-228 in Reflections of a naturalist: Papers honoring professor Eugene D. Fleharty (J. R. Choate, ed.). *Fort Hays Studies, Special Issue*, 1, 1-241.



- Sparks, D. W., Ritzi, C. M., Duchamp, J. E., & Whitaker, J. O., Jr. (2005). Foraging habitat of the Indiana bat (*Myotis sodalis*) at an urban-rural interface. *Journal of Mammalogy*, 86, 713-718.
- Sparks, D. W., Whitaker, J. O., Jr., & Ritzi, C. M. (2004). *Foraging ecology of the endangered Indiana bat. in Indiana Bat and Coal Mining: A Technical Interactive Forum* (K. C. Vories and A. Harrington, eds.). U.S. Department of the Interior, Office of Surface Mining. Alton, Illinois.
- Stabile, F. (2014). *Nyctanassa violacea yellow-crowned night heron*. Animal Diversity Web. https://animaldiversity.org/accounts/Nyctanassa_violacea/
- Stats Indiana. (2020). <https://www.stats.indiana.edu/>. (Last accessed Apr. 2021).
- Stein, R. M., & White, J. A. (2016). Maternity colony of northern long-eared Myotis (*Myotis septentrionalis*) in a human-made structure in Nebraska. *Transactions of the Nebraska Academy of Sciences and Affiliated Societies*, 36, 1-5.
- Stejneger, L., & Barbour, T. (1923). *A check list of North American amphibians and reptiles*. Harvard University Press.
- Stihler, C. W., & Brack, V., Jr. (1992). A survey of hibernating bats in Hellhole Cave, Pendleton County, West Virginia. *Proceedings of the West Virginia Academy of Science, Papers of the sixty-seventh annual session*, 64, 97-103.
- Stillwell, Larry. (2011). *An Archaeological Field Reconnaissance of the Proposed Huntingburg Airport Improvements in Huntingburg, Dubois County, Indiana*. Archaeological Consultants of Ossian, Muncie, Indiana.
- Sullivan, J. (1996). *Taxidea taxus*. USDA Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
- Surber, T. (1913). Notes on the natural hosts of fresh-water mussels. *Bulletin of U. S. Bureau of Fisheries*, 32, 101-115.
- Swearingen, J., & Barger, C. (2016). *Invasive Plant Atlas of the United States*. University of Georgia Center for Invasive Species and Ecosystem Health. <http://www.invasiveplantatlas.org/>
- Sycamore Land Trust. (2021). <https://sycamorelandtrust.org/>
- Temple, S. A. (1986). The problem of avian extinctions (Vol. 3, pp. 453-485). Current Ornithology.
- Temple, S. A. (1986). *Predicting impacts of habitat fragmentation on forest birds: A comparison of two models*. (Verner, J.; Morrison, M.L.; Ralph, C.J., eds) (pp. 301-304). Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates. University of Wisconsin Press.
- Temple, S. A., & Wilcox, B. A. (1986) *Effects of forest fragmentation on vertebrates in douglas-fir forests* (Verner J, Morrison ML, Ralph CJ, eds.) (pp. 261-262). Modeling habitat relationships of terrestrial vertebrates. University of Wisconsin Press, Madison, Wis.
- Thomson, C. E. (1982). *Myotis sodalis*. *Mammalian Species*, 163, 1-5.
- The Cornell Lab. (n.d.). *All About Birds: Broad-winged Hawk*. The Cornell Lab. https://www.allaboutbirds.org/guide/Broad-winged_Hawk/overview
- The Cornell Lab. (n.d.). *All About Birds: Sedge Wren*. The Cornell Lab. https://www.allaboutbirds.org/guide/Sedge_Wren/overview
- The Nature Conservancy. (2021). <https://www.nature.org/en-us/>
- Timpone, J. C., Boyles, J. G., Murray, K. L., Aubrey, D. P., & Robbins, L. W. (2010). Overlap in roosting habits of Indiana bats (*Myotis sodalis*) and northern bats (*Myotis septentrionalis*). *American Midland Naturalist*, 163, 115-123.

Draft Environmental Impact Statement



MID-STATES
CORRIDOR

- Tinsley, K. (2016). *Status review for the eastern subspecies of the little brown bat (Myotis lucifugus lucifugus)* (p. 150). U.S. Department of Interior, U.S. Fish and Wildlife Service, Region 3, Bloomington, Minnesota.
- Tormoehlen, et al., (2000). *Forests of Indiana: A 1998 Overview*. United States Department of Agriculture. https://books.google.com/books?id=tV6PlmvOX5sC&printsec=frontcover&source=gbs_ge_summary_r&cad=0#v=onepage&q&f=false
- Trajano, E. (2001). Ecology of subterranean fishes: an overview. *Environmental Biology of Fishes*, 62, 133-160.
- Trombulak, S. C., & Frissell, C. A. (2000). Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology*, 14(1), 18-30.
- Turner, G. G., Reeder, D. M., & Coleman, J. T. H. (2011). A five-year assessment of mortality and geographic spread of white-nose syndrome in North American bats and a look to the future. *Bat Research News*, 52, 13-27.
- Tuttle, M. D. (1975). *Population ecology of the gray bat (Myotis grisescens): Factors influencing early growth and development* (pp. 1-24). Occasional Papers from the Museum of Natural History, University of Kansas.
- Tuttle, M. D. (1976a). Population ecology of the gray bat (Myotis grisescens): Factors influencing growth and survival of newly volant young. *Ecology*, 57, 587-595.
- Tuttle, M. D. (1976b). *Population ecology of the gray bat (Myotis grisescens): Philopatry, timing and patterns of movement, weight loss during migration, and seasonal adaptive strategies* (pp. 1-38). Occasional Papers from the Museum of Natural History, University of Kansas.
- Tuttle, M. D. (1979). Status, causes of decline, and management of endangered gray bats. *Journal of Wildlife Management*, 43, 1-17.
- Tuttle, N. M., Benson, D. P., & Sparks, D. W. (2006). Diet of Myotis sodalis (Indiana Bat) at an urban/rural interface. *Northeastern Naturalist*, 13, 435-442.
- Tuttle, M. D., & Kennedy, J. (2002). *Thermal requirements during hibernation. The Indiana Bat: Biology and Management of an Endangered Species* (A. Kurta and J. Kennedy, eds.) (pp. 68-78). Bat Conservation International, Austin, Texas.
- Tuttle, N. M., Sparks, D. W., & Ritzi, C. M. (2005). Extralimital record of the gray bat (Myotis grisescens) in Indiana. *Bat Research News*, 147.
- Tuttle, M. D., & Stevenson, D. (1982). Growth and survival of bats. *Ecology of bats* (T. H. Kunz, ed.) (pp. 105-150, 425). Plenum Press, New York, New York.
- U.S. Army Corps of Engineers. (1996, Oct. 13). *COE Listing of Navigable Waters in Indiana*. https://www.in.gov/dnr/water/files/Appdx_G-3.pdf
- U.S. 231 Corridor Assessment (p. 16). (2018). WSP for Indiana Department of Transportation.
- U.S. 231, Dubois County, Indiana Draft Environmental Impact Statement (p. 617). (2004). HNTB Corp. for Indiana Department of Transportation.
- U.S. 231, Dubois County, Indiana Supplemental Draft Environmental Impact Statement (p. 164). (2011). HNTB Corp. for Indiana Department of Transportation.
- U.S. Census Bureau. (n.d.). <https://www.census.gov/>



- U.S. Census Bureau. (2021, Oct. 12). *American Community Survey*. <https://www.census.gov/programs-surveys/acs>
- U.S. Department of Labor. (n.d.). *Title VI of the 1964 Civil Rights Act*. <https://www.dol.gov/agencies/oasam/regulatory/statutes/title-vi-civil-rights-act-of-1964>
- U.S. Department of the Interior National Park Service Cultural Resources. (1990). *National Register Bulletin 15 – How to Apply the National Register Criteria for Evaluation*. https://www.nps.gov/subjects/nationalregister/upload/NRB-15_web508.pdf
- U.S. EIA. (2021, Sept. 27). *Monthly Energy Review*. <https://www.eia.gov/totalenergy/data/monthly/>
- U.S. EPA. (n.d.). *8 Tools of Watershed Protection in Developing Areas*. https://cfpub.epa.gov/watertrain/module-Frame.cfm?parent_object_id=1327. (Last accessed 03/18/2021).
- U.S. EPA. (n.d.). *Summary of Safe Drinking Water Act*. <https://www.epa.gov/laws-regulations/summary-safe-drinking-water-act>. (Last accessed 04/28/2021).
- U.S. EPA. (n.d.). *How People are Exposed to Mercury*. <https://www.epa.gov/mercury/how-people-are-exposed-mercury>. (Last accessed 10/04/2021).
- U.S. Geological Survey. (n.d.). *Karst Aquifers*. <http://water.usgs.gov/ogw/karst/>. (Last accessed 06/23/2020).
- U.S. Geological Survey. (n.d.). *Bacteria and E. Coli in Water*. https://www.usgs.gov/special-topic/water-science-school/science/bacteria-and-e-coli-water?qt-science_center_objects=0#qt-science_center_objects. (Last accessed 10/04/2021).
- U.S. Geological Survey. (n.d.). *Dissolved Oxygen and Water*. https://www.usgs.gov/special-topic/water-science-school/science/dissolved-oxygen-and-water?qt-science_center_objects=0#qt-science_center_objects. (Last accessed 10/04/2021).
- U.S. Land and Water Conservation Fund Act of 1965. (1964, Sept. 3). *Public Law 88-578*. <https://www.govinfo.gov/content/pkg/STATUTE-78/pdf/STATUTE-78-Pg897.pdf>
- Urban, N. A., & Swihart, R. K. (2011). Small mammal responses to forest management for oak regeneration in southern Indiana. *Forest Ecology and Management*, 261, 353-361.
- USDA – Forest Service. (n.d.). *Hoosier National Forest District Ranger*. <https://www.fs.usda.gov/detail/hoosier/about-forest/offices>
- USDA. (n.d.). *Southern wetland flora: Field office guide to plant species*. U.S.D.A. Soil Conservation Service, South National Technical Center, Fort Worth, Texas. Jamestown, ND: Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/plants/floraso/index.htm> (Version 12APR1999)
- USDA. (2015). *Forests of Indiana, 2014*. https://www.fs.fed.us/nrs/pubs/ru/ru_fs51.pdf
- USDA. (2017). *2017 National Resources Inventory*. Natural Resources Conservation Service, Washington, DC. http://www.nrcs.usda.gov/Internet/NRCS_RCA/reports/nri_in.html
- USDA. (2021). *State Noxious-Weed Seed Requirements Recognized in the Administration of the Federal Seed Act* (p. 144). U.S. Department of Agriculture, Agricultural Marketing Service, Science and Technology Program. <https://www.ams.usda.gov/sites/default/files/media/StateNoxiousWeedsSeedList.pdf>
- USDA – Farm Service Agency. (2017, January). *Conservation Reserve Enhancement Program – Indiana*. https://www.fsa.usda.gov/Assets/USDA-FSA-Public/usdafilmes/FactSheets/2017/crep_indiana_jan2017.pdf

Draft Environmental Impact Statement



MID-STATES
CORRIDOR

- USDA – Farm Service Agency. (2021). *Conservation Reserve Program*. <https://www.fsa.usda.gov/programs-and-services/conservation-programs/conservation-reserve-program/>
- USDA – Forest Service. (2017, July). *Forests of Indiana, 2016*. https://www.fs.fed.us/nrs/pubs/ru/ru_fs127.pdf
- USDA – Forest Service. (2020). *Forests of Indiana, 2019* (p. 2). Resource Update FS-238. Madison, WI: U.S. Department of Agriculture, Forest Service. <https://doi.org/10.2737/FS-RU-238>
- USDA – Forest Service. (2020, Apr. 14). *Forest Inventory and Analysis*. <https://www.fia.fs.fed.us/>
- USDA – Forest Service. (2021). *Non-native Invasive Plants*. https://www.fs.usda.gov/detail/hoosier/landmanagement/resourcemanagement/?cid=FSBDEV3_017528
- USDA – NASS. (2017). *2017 Census of Agriculture County Profile: Crawford County, Indiana*. https://www.nass.usda.gov/Publications/AgCensus/2017/Online_Resources/County_Profiles/Indiana/cp18025.pdf
- USDA – NASS. (2017). *2017 Census of Agriculture County Profile: Dubois County, Indiana*. https://www.nass.usda.gov/Publications/AgCensus/2017/Online_Resources/County_Profiles/Indiana/cp18037.pdf
- USDA – NASS. (2017). *2017 Census of Agriculture County Profile: Lawrence County, Indiana*. https://www.nass.usda.gov/Publications/AgCensus/2017/Online_Resources/County_Profiles/Indiana/cp18093.pdf
- USDA – NASS. (2017). *2017 Census of Agriculture County Profile: Martin County, Indiana*. https://www.nass.usda.gov/Publications/AgCensus/2017/Online_Resources/County_Profiles/Indiana/cp18101.pdf
- USDA – NASS. (2017). *2017 Census of Agriculture County Profile: Monroe County, Indiana*. https://www.nass.usda.gov/Publications/AgCensus/2017/Online_Resources/County_Profiles/Indiana/cp18105.pdf
- USDA – NASS. (2017). *2017 Census of Agriculture County Profile: Warrick County, Indiana*. https://www.nass.usda.gov/Publications/AgCensus/2017/Online_Resources/County_Profiles/Indiana/cp18173.pdf
- USDA – NASS. (2020, June 30) *2020 State Agriculture Overview*. https://www.nass.usda.gov/Quick_Stats/Ag_Overview/stateOverview.php?state=INDIANA
- USDA – NASS. (2021, March). *Indiana Agriculture Report, 41(3)*. https://www.nass.usda.gov/Statistics_by_State/Indiana/Publications/Ag_Report/2021/iar2103.pdf
- USDA – Natural Resource Conservation Service. (2021). *The Plants Database*. United States Department of Agriculture, Natural Resources Conservation Service. National Plant Data Center, Baton Rouge, Louisiana. <https://plants.usda.gov>
- USDA – National Agricultural Statistics Service. (2021, Oct. 25). *Census of Agriculture*. <https://www.nass.usda.gov/AgCensus/>
- USDA – U.S. Forest Service. (n.d.). *American Featherfoil (Hottonia inflata)*. United States Department of Agriculture, United States Forest Service. https://www.fs.fed.us/wildflowers/plant-of-the-week/hottonia_inflata.shtml
- USFWS. (1967). *Native fish and wildlife; endangered species*. Federal Register (Vol. 32, No. 48, p. 4001). Office of the Secretary.
- USFWS. (1975a). *Endangered and threatened wildlife; lists of endangered and threatened fauna*. Federal Register (Vol. 40, No. 77, pp. 17590-17591). U.S. Department of the Interior, Fish and Wildlife Service.



USFWS. (1975b). *Endangered and threatened wildlife and plants; proposed determination of critical habitat for snail darter, American crocodile, whooping crane, California condor, Indiana bat and Florida manatee.* Federal Register (Vol. 40, No. 242, pp. 58308-58312). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1976a). *Endangered and threatened wildlife and plants; determination that two species of butterflies are threatened species and two species of mammals are endangered species.* Federal Register (Vol. 41, No. 83, pp. 17736-17740). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1976a). *Endangered and threatened wildlife and plants; determination of critical habitat for American crocodile, California condor, Indiana bat and Florida manatee.* Federal Register (Vol. 41, No. 187, pp. 41914-41916). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1976c). *Endangered and threatened wildlife and plants; endangered status for 159 taxa of animals.* Federal Register (Vol. 47, No. 115, pp. 24062-24067). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1977). *Endangered and threatened wildlife and plants; final rule; correction and augmentation of published rulemaking.* Federal Register (Volume 42, No. 184, pp. 47840-47845). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1978). *Endangered and threatened wildlife and plants; determination of certain bald eagle populations as endangered or threatened.* Federal Register (Vol. 43, No. 13, pp. 6230-6233). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS (1982). *Gray bat recovery plan.* U.S. Department of Interior, Fish and Wildlife Service, Southeast Region, Atlanta, Georgia.

USFWS. (1983). *Northern States Bald Eagle Recovery Plan.* U.S. Fish and Wildlife Service, Region 6, Denver, Colorado.

USFWS. (1985). *Endangered and threatened wildlife and plants; interior population of the least tern determined to be endangered; final rule.* Federal Register (Vol. 50, No. 102, pp. 21784-21792). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1987). *Habitat Management Guidelines for the Bald Eagle in the Southeast Region.* U.S. Fish and Wildlife Service, Region 4. Atlanta, Georgia.

USFWS. (1998). *Endangered and Threatened Wildlife and Plants; Final Rule To Determine Five Texas Cave Invertebrates To Be Endangered Species.* Federal Register (Vol. 53, No. 180, pp. 36029-36033). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1990). *Endangered and threatened wildlife and plants; designation of the freshwater mussel, the fanshell as an endangered species.* Federal Register (Vol. 55, No. 120., pp. 25591-25596) U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1990). *Recovery plan for the interior population of the Least Tern* (90 pp.) U.S. Department of the Interior, Fish and Wildlife Service, Twin Cities, Minnesota. (*Sterna antillarum*).

USFWS. (1991a). *Endangered and threatened wildlife and plants; 5-year review of listed species.* Federal Register (Vol. 56, No. 215, pp. 56882-56900). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1993). *Endangered and threatened wildlife and plants; determination of endangered status for the northern rifleshell mussel (*Epioblasma torulosa rangiana*) and the clubshell mussel (*Pleurobema clava*).* Federal Register (Vol. 58, No. 13, pp. 5838-5842). U.S. Department of the Interior, Fish and Wildlife Service.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

USFWS. (1994). *Clubshell (Pleurobema clava) and northern riffleshell (Epioblasma torulosa rangiana) recovery plan* (58 pp.). U.S. Department of Interior, Fish and Wildlife Service, Hadley, Massachusetts.

USFWS. (1995). *Endangered and threatened wildlife and plants; final rule to reclassify the bald eagle from endangered to threatened in all of the lower 48 states*. Federal Register (Vol. 60, No. 133, pp. 36000-36010). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (1997a). *Fat pocketbook (Potamilus capax) fact sheet* (p. 1). U.S. Department of Interior, Fish and Wildlife Service, Fort Snelling, Minnesota.

USFWS. (1997b). *Threatened and endangered species: Fanshell (Cyprogenia stegaria) fact sheet*. U. S. Department of Interior, Fish and Wildlife Service. Endangered Species Division, Fort Snelling, Minnesota.

USFWS. (1997c). *Endangered species – gray bat*. U.S. Department of Interior, Fish and Wildlife Service, Fort Snelling, Minnesota.

USFWS. (1999). *Endangered and threatened wildlife and plants; proposed rule to remove the bald eagle in the lower 48 state from the list of endangered and threatened wildlife*. Federal Register (Vol. 64, No. 128, pp. 36454-36464). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2002). *Endangered and Threatened Wildlife and Plants; 12-Month Finding for the Monarch Butterfly*. Federal Register (Vol. 85, No. 243, pp. 81813-81822). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2003). *Fanshell (Cyprogenia stegaria)*. in *Endangered and Threatened Species of the Southeastern U.S. (The Red Book)*, U.S. Department of Interior, Fish and Wildlife Service.

USFWS. (2006). *Endangered and threatened wildlife and plants; 5-year review of five midwestern species*. Federal Register (Vol. 71, No. 61, pp. 16176-16177). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2007a). *Endangered and threatened wildlife and plants; draft Indiana bat recovery plan, first revision; draft survey protocol*. Federal Register (Vol. 72, No. 72, pp. 19015-19016). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2007b). *Endangered and threatened wildlife and plants; removing the bald eagle in the lower 48 states from the list of endangered and threatened wildlife*. Federal Register (Vol. 72, No. 130, pp. 37346-37372). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2007c). *National Bald Eagle Management Guidelines* (p. 23). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2007d). *Rough pigtoe (Pleurobema plenum) 5-year review: Summary and evaluation* (p. 17). U.S. Department of the Interior, Fish and Wildlife Service, Kentucky Field Office, Frankfort, Kentucky.

USFWS. (2008). *Northern population segment of the copperbelly water snake (Nerodia erythrogaster neglecta) recovery plan* (p. 104). U.S. Department of the Interior, Fish and Wildlife Service, Midwest Region, Fort Snelling, Minnesota.

USFWS. (2009a). *Gray bat (Myotis grisescens): 5 year review: summary and evaluation* (p. 34). U.S. Department of Interior, Fish and Wildlife Service, Midwest Region, Columbia, Missouri Ecological Services Office, Columbia Missouri.

USFWS. (2009b). *U.S. Fish and Wildlife Service species assessment and listing priority assignment form: rabbitsfoot* (p. 65). U.S. Department of Interior, Fish and Wildlife Service, Southeast Region.



USFWS. (2011a). *Endangered and threatened wildlife and plants; 5-year status review of seven listed species*. Pages 44565-44566 in Federal Register (Volume 76, No. 143.). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2011b). *Endangered and threatened wildlife and plants; Partial 90-day finding on a petition to list 404 species in the southeastern United States as endangered or threatened with critical habitat*. Federal Register (Vol. 76, No. 187, pp. 59836-59862). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2012a). *Endangered and threatened wildlife and plants; determination of endangered status for the rayed bean and snuffbox mussels throughout their ranges*. Federal Register (Vol. 77, No. 30, pp. 8632-8665). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2012b). *Final Rule: Determination of endangered status for the sheepnose and spectaclecase mussels throughout their range*. Federal Register (Volume 77, No. 49, pp. 14914-14949). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2012c). *Fat Pocketbook (*Potamilus capax*) 5-Year Review: Summary and Evaluation*. U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2012d). *Sheepnose (a freshwater mussel) *Plethobasius cyphyus* fact sheet*. U.S. Department of Interior, Fish and Wildlife Service.

USFWS. (2013a). *Endangered and threatened wildlife and plants; endangered status for the Neosho mucket and threatened status for the rabbitsfoot*. Pages 57076-57097 in Federal Register Volume 78, No. 180. U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2013b). *Endangered and threatened wildlife and plants; 12-month finding on a petition to list the eastern small-footed bat and the northern long-eared bat as endangered or threatened species; listing the northern long-eared bat as an endangered species*. Federal Register (Vol. 78, No. 191, pp. 61046-61080). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2013c). *Endangered and threatened wildlife and plants; listing the northern long-eared bat as an endangered species*. Federal Register (Volume 78, No. 231, pp. 72058-72059). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2013d). *Interior least tern 5-year review: Summary and evaluation* (p. 75). U.S. Department of the Interior, Fish and Wildlife Service, Mississippi Field Office, Jackson, Mississippi.

USFWS. (2015a). *Copperbelly water snake (*Nerodia erythrogaster neglecta*) fact sheet* (p. 2). U.S. Department of Interior, Fish and Wildlife Service, Bloomington, Minnesota.

USFWS. (2015a). *Endangered and threatened wildlife and plants; threatened species status for the northern long-eared bat with 4(d) rule*. Federal Register (Vol. 80, No. 63, pp. 17974-18033). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2015b). *Endangered and threatened wildlife and plants; designation of critical habitat for neosho mucket and rabbitsfoot*. Federal Register (Vol. 80, No. 83, pp. 24692-24774). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2016a). *Endangered and threatened wildlife and plants; 4(d) rule for the northern long-eared bat*. Federal Register (Vol. 81, No. 9, pp. 1900-1922). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2016b). *Endangered and threatened wildlife and plants; determination that designation of critical habitat is not prudent for the northern long-eared bat*. Federal Register (Vol. 81, No. 81, pp. 24707-24714). U.S. Department of the Interior, Fish and Wildlife Service.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

USFWS. (2016c). *Draft environmental impact statement: Midwest wind energy multi-species habitat conservation plan* (p. 647). U.S. Fish and Wildlife Service, Midwest Region, Bloomington, Minnesota.

USFWS. (2017). *Endangered and threatened wildlife and plants; 90-day findings for five species*. Federal Register (Vol. 81, No. 81, pp. 60362-60366). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2018). *Snuffbox (Epioblasma triquetra) 5-year review: Summary and evaluation* (p. 6). U.S. Department of the Interior, Fish and Wildlife Service, Columbus Field Office, Columbus, Ohio.

USFWS. (2019a). *Endangered and threatened wildlife and plants; removal of the Interior least tern from the federal list of endangered and threatened wildlife*. Federal Register (Vol. 84, No. 206, pp. 56977-56911). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2019b). *Clubshell (Pleurobema clava) 5-year review: Summary and evaluation*. U.S. Department of the Interior, Fish and Wildlife Service, Pennsylvania Field Office, State College, Pennsylvania.

USFWS. (2019c). *Fanshell (Cyprogenia stegaria) 5-Year Review: Summary and Evaluation*. U.S. Department of the Interior, Fish and Wildlife Service, Southeast Region, Kentucky Ecological Services Field Office, Frankfort, Kentucky.

USFWS. (2019d). *National Listing Workplan. 5-Year Workplan*. May 2019 Version. U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2019e). *Northern riffleshell (Epioblasma torulosa rangiana) 5-year review: Summary and evaluation*. U.S. Department of the Interior, Fish and Wildlife Service, Pennsylvania Field Office, State College, Pennsylvania.

USFWS. (2019f). *Species status assessment report for the round hickorynut mussel (Obovaria subrotunda)*. Version 1.0. Asheville Ecological Services Field Office, Asheville, North Carolina.

USFWS. (2020). *Revised list of migratory birds*. Federal Register (Vol. 85, No. 74, pp. 21282-21305). U.S. Department of the Interior, Fish and Wildlife Service.

USFWS. (2021a). *Rough pigtoe (Pleurobema plenum) 5-Year Review: Summary and Evaluation*. U.S. Fish and Wildlife Service, South Atlantic-Gulf Region, Kentucky Ecological Services Field Office.

USFWS. (2021b). *Wingleaf primrose-willow (Ludwigia decurrens) Ecological Risk Screening Summary* (p. 17). U.S. Fish and Wildlife Service.

USFWS. (2012, Aug. 3). *Patoka River National Wildlife Refuge Indiana*. https://www.fws.gov/refuge/Patoka_River/wildlife_and_habitat/index.html

USFWS. (2021 Aug. 26). *Partners for Fish and Wildlife Program*. <https://www.fws.gov/partners/>

Valdez, E. W., Geluso, K., Foote, J., Allison-Kosior, G., & Roemer, D. M. (2009). Spring and winter records of the eastern pipistrelle (*Perimyotis subflavus*) in southeastern New Mexico. *Western North American Naturalist*, 69, 396-398.

Van Zyll de Jong, C. G. (1985). *Handbook of Canadian mammals* (p. 212). National Museums of Canada, Ottawa, Canada.

Vargovitsh, R. S. (2009). Species Composition of the Family Arrhopalitidae (Collembola, Symphyleona). *Vestnik Zoologii*, 43(4), 365-367.

Vaughan, D. M. (2002). *Potential Impact of Road-Stream Crossings (Culverts) on the Upstream Passage of Aquatic Macroinvertebrates*. The Xerces Society, Portland OR. A Report Submitted to the United States Forest Service, San Dimas Technology and Development Center.



- Veilleux, J. P. & Veilleux, S. L. (2004a). Colonies and reproductive patterns of tree-roosting female eastern pipistrelle bats in Indiana. *Proceedings of the Indiana Academy of Science*, 113, 60-65.
- Veilleux, J. P. & S. L. Veilleux. (2004b). Intra-annual and interannual fidelity to summer roost areas by female eastern pipistrelles, *Pipistrellus subflavus*. *The American Midland Naturalist*, 152, 196-200.
- Veilleux, J. P., Whitaker, J. O., Jr., & Veilleux, S. L. (2003). Tree-roosting ecology of reproductive female eastern Pipistrelles, *Pipistrellus subflavus*, in Indiana. *Journal of Mammalogy*, 84, 1068-1075.
- Veilleux, J. P., J. O. Whitaker, Jr., & S. L. Veilleux. (2004). Reproductive stage influences roost use by tree roosting female eastern pipistrelles, *Pipistrellus suflavus*. *Ecoscience*, 11, 249-256.
- Virginia Tech. (2019, October 16). *Accelerating global agricultural productivity growth is critical*. ScienceDaily.
- Vitz, A. C., Hanners, L. A. & Patton, S. R. (2020). *Worm-eating Warbler (Helmitheros vermivorum)*. Cornell Lab of Ornithology. Birds of the World. <https://birdsoftheworld.org/bow/species/woewar1/cur/introduction>
- Waltz, R. D. & Hart, J. W. (1996). A checklist of Indiana Collembola (Hexapoda). *Proceedings of the Indiana Academy of Sciences*, 105, 29-41.
- Watkins, L. C., & Shump, K. A., Jr. (1981). Behavior of the evening bat *Nycticeius humeralis* at a nursery roost. *American Midland Naturalist*, 105, 258-268.
- Watters, G. T., & Flaute, C. J. M. (2010). Dams, zebras, and settlements: The historical loss of freshwater mussels in the Ohio River mainstem. *American Malacological Bulletin*, 28, 1-12.
- Watters, G. T., Hoggarth, M. A., & Stansbery, D. H. (2009). *The freshwater mussels of Ohio* (p. 421). The Ohio State University Press, Columbus, Ohio.
- Watters, G. T., Menker, T., Thomas, S., & Luehnl, K. (2005). Host identifications or confirmations. *Ellipsaria* (Vol. 7, pp. 11-12). *Newsletter of the Freshwater Mollusk Conservation Society*.
- Watts, B. D. (1995). Yellow-crowned Night-Heron. *The birds of North America*, 161, 1-25.
- Wellborn, G. A., Witt, J. D., & Cothran, R. D. (2015). Class Malacostraca, Superorders Peracarida and Syncarida. Thorp and Covich's freshwater invertebrates (pp. 781-796).
- Wherry, E. T. (1995). *The Fern Guide: Northeastern and Midland United States and Adjacent Canada* (p. 318). Dover Publications, Inc. Mineola, New York.
- Whitaker, J. O., Jr. (1998). Life history and roost switching in six summer colonies of eastern pipistrelles in buildings. *Journal of Mammalogy*, 79, 651-659.
- Whitaker, J. O., Jr. (2004). Prey selection in a temperate zone insectivorous bat community. *Journal of Mammalogy*, 85, 460-469.
- Whitaker, J. O., Jr., Amlaner, C. J., Jackson, M. T., Parker, G. R., & Scott, P. E. (Eds.). (2012). *Habitats and Ecological Communities of Indiana: Presettlement to Present*. Indiana University Press. <http://www.jstor.org/stable/j.ctt16g-zd16>
- Whitaker, J. O., Jr., & Brack, V., Jr. (2002). *Distribution and summer ecology in Indiana*. (pp. 53-59). The Indiana Bat: Biology and Management of an Endangered Species. Bat Conservation International, Austin, Texas.
- Whitaker, J. O., Jr., Brack, V., Jr., & Cope, J. B. (2002). Are bats in Indiana declining. *Proceedings of the Indiana Academy of Science*, 111(1), 95-106.

Draft Environmental Impact Statement



MID-STATES
CORRIDOR

- Whitaker, J. O., Jr., Brack, V., Jr., Sparks, D. W., Cope, J. B., & Johnson, S. (2007). *Bats of Indiana*. (59). Publication number 1. Indiana State University, Center for North American Bat Research and Conservation.
- Whitaker, J. O., Jr., & Clem, P. (1992). Food of the evening bat *Nycticeius humeralis* from Indiana. *American Midland Naturalist*, 127, 211-214.
- Whitaker, J. O., Jr., Cope, J. B., & Brack, V., Jr. (2003). Bats of Wyandotte Cave, Crawford County, Indiana. *Proceedings of the Indiana Academy of Science*, 112, 75-84.
- Whitaker, J. O., Jr., Gibble, J., & Kjellmark, E. (1994). *Mammals of the Indiana Dunes National Lakeshore*. U.S. Department of the Interior, National Park Service. Scientific Monograph NPS/NRINDU/NRSM-94/24.
- Whitaker, J. O., Jr., & Mumford, R. E. (2009). *Mammals of Indiana* (P. 661). Indiana University Press, Bloomington, Indiana.
- Whitaker, J. O., Jr., & Rissler, L. J., (1992a). Seasonal activity of bats at Copperhead Cave. *Proceedings of the Indiana Academy of Science*, 101, 127-134.
- Whitaker, J. O., Jr., & L. J. Rissler. (1992b). Winter activity of bats at a mine entrance in Vermillion County, Indiana. *American Midland Naturalist*, 127, 52-59.
- Whitaker, J. O., Jr., Sparks, D. W., & Brack, V., Jr. (2006). Use of artificial roost structures by bats at the Indianapolis International Airport. *Environmental Management*, 38, 28-36.
- Whitaker, J. O., Jr., & Sparks, D. W. (2008). Roosts of Indiana bats (*Myotis sodalis*) near the Indianapolis International Airport (1997-2001). *Proceedings of the Indiana Academy of Science*, 117, 193-202.
- Whitaker, J. O., Jr., & Stacy, M. (1996). Bats of abandoned coal mines in southwestern Indiana. *Proceedings of the Indiana Academy of Science*, 105, 277-280.
- Whitaker, J. O., Jr., Walters, B. L., Veilleux, J. P., & Davis, R. O. (2014). Occurrence and suspected function of pre-maternity colonies of eastern pipistrelles, *Perimyotis subflavus*, in Indiana. *Proceedings of the Indiana Academy of Science*, 123, 49-56.
- White, J. A., Moosman, J. P., Jr., Kilgore, C. H., & Best, T. L. (2006). First record of the eastern pipistrelle (*Pipistrellus subflavus*) from southern New Mexico. *The Southwestern Naturalist*, 51, 420-422.
- Wilcox, T. M., Zarn, K. E., Piggott, M. P., Young, M. K., McKelvey, K. S., & Schwartz, M. K. (2018). Capture enrichment of aquatic environmental DNA: A first proof of concept. *Molecular Ecology Resources*, 18(6), 1392-1401.
- Wilkinson, G. S. (1992a). Information transfer at evening bat colonies. *Animal Behaviour*, 44, 501-518.
- Wilkinson, G. S. (1992b). Communal nursing in the evening bat, *Nycticeius humeralis*. *Behavioral Ecology and Sociobiology*, 31, 225-235.
- Williams, J. D., Bogan, A. E., Butler, R. S., Cummings, K. S., Garner, J. T., Harris, J. L., Johnson, N. A., & Watters, G. T. (2017). A revised list of the freshwater mussels (mollusca: bivalvia: unionida) of the United States and Canada. *Freshwater Mollusk Biology and Conservation*, 20, 33-58.
- Williams, J. D., Warren, M. L., Jr., Cummings, K. S., Harris, J. L., & Neves, R. J. (1993). Conservation status of the freshwater mussels of the United States and Canada. *Fisheries*, 18, 6-22.
- Wilson, C. B. (1914). Copepod parasites of fresh-water fishes and their economic relations to mussel glochidia. *Bulletin of the United States Bureau of Fisheries (document 824)*, 34, 333-374.



- Wimsatt, W. A. (1945). Notes on breeding behavior, pregnancy, and parturition in some vespertilionid bats of the eastern United States. *Journal of Mammalogy*, 26, 23-33.
- Wisconsin DNR. (2013). *Eastern pipistrelle (Perimyotis subflavus) species guidance*. Wisconsin Department of Natural Resources, Bureau of Natural Heritage Conservation.
- Wisconsin DNR. (2020). *A flat-headed mayfly (Spinadis simplex)*. Wisconsin Department of natural Resources. <https://dnr.wi.gov/topic/EndangeredResources/Animals.asp?mode=detail&SpecCode=IIEPH19010>. (Last accessed 09/15/21).
- Wolf, K., Hove, M., Sietman, B., Boyer, S., & Hornbach, D. (2012). Additional minnows and topminnow identified as suitable hosts for the sheepnose, *Plethobasus cyphyus* (Rafinesque, 1820). *Ellipsaria*, 14, 7-8.
- Womack, K. M., Amelon, S. K., & Thompson, F. R. (2013). Resource selection by Indiana bats during the maternity season. *Journal of Wildlife Management*, 77, 707-715.
- Woodall, C. W., Webb, M. N., Wilson, B. T., Settle, J., Piva, R. J., Perry, C. H., Meneguzzo, D. M., Crocker, S. J., Butler, B. J., Hansen, M. H., Hatfield, M. A., Brand, G. J., & Barnett, C. H. (2011, January). *Indiana's forests 2008*. Resource Bulletin NRS-45. United States Department of Agriculture – Forest Service – Northern Research Station.
- Woolnough, D. A. (2006). *The importance of host fish in long range transport of unionids in large rivers* (p. 143). [Dissertation, Iowa State University, Ames, Iowa].
- Yang, L., Jin, S., Danielson, P., Homer, C., Gass, L., Bender, S. M., Case, A., Costello, C., Dewitz, J., Fry, J., Funk, M., Granneman, B., Liknes, G. C., Rigge, M., & Xian, G. (2018). A new generation of the United States national land cover database: Requirements, research priorities, design, and implementation strategies. *ISPRS Journal of Photogrammetry and Remote Sensing*, 146, 108-123.
- Yosef, R. (2020). *Loggerhead Shrike*. Cornell Lab of Ornithology. Birds of the World. <https://birdsoftheworld.org/bow/species/logshr/cur/introduction>
- Yosef, R., & Grubb, T. C., Jr. (1993). Effect of vegetation height on hunting behavior and diet of loggerhead shrikes. *The Condor*, 95, 127-131.
- Yosii, R. (1970). On some Collembola of Japan and adjacent Countries II. *Contributions from the Biological Laboratory, Kyoto University*, 23(1), 1-32.
- Youngquist, M. B., & Boone, M. D. (2014). Movement of amphibians through agricultural landscapes: The role of habitat on edge permeability. *Biological Conservation*, 175, 148-155.
- Zeppelini, D., Taylor, S. J., & Slay, M. E. (2009). Cave Pygmarrhopalites Vargovitsh, (Collembola, Symphyleona, Arrhopalitidae) in the United States. *Zootaxa*, 2204, 1-18.
- Zhang, J. (1997). *Systematics of the freshwater amphipod genus Crangonyx (Crangonyctidae) in North America* (pp. 84-86). Old Dominion University.
- Zhang, J., & Holsinger, J. R. (2003). Systematics of the freshwater amphipod genus Crangonyx (Crangonyctidae) in North America. *Virginia Museum of Natural History, Memoir*, 6, 274.

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

10.2 Land Use Plans

AECOM, Midwestern Engineers, Inc., Rundell Ernstberger Associates. (2018, Jan.) *Pike County Interchange Area Master Plan*. https://indianamegasite.com/images/uploads/Pike_Co_Interchange_Area_Master_Plan_2018-02-12_reduced.pdf

City of Bloomington Comprehensive Plan. (2018). <https://bloomington.in.gov/sites/default/files/201804/Final%20Council%20Amended%20CMP%20%20Web%202.pdf>

City of Boonville Comprehensive Plan. (2016). <http://cms4.revize.com/revize/boonville/comp%20plan.pdf>

City of Jasper Comprehensive Plan. (2019). <https://impactjasper.files.wordpress.com/2019/09/impact-jasper-comp-plan-final.pdf>

City of Linton Comprehensive Plan. (2006). <https://www.cityoflinton.com/egov/apps/document/center.egov?view=group;group=type>

City of Petersburg Comprehensive Plan. (2007). <https://www.ind15rpc.org/wp-content/themes/region15/codes/petersburg/Petersburg-Title15.pdf>

City of Rockport Comprehensive Plan. (2014, Oct. 7). https://rockportcomprehensiveplan2014.wordpress.com/?fbclid=IwAR0s0imktwMJxsQ2WnhcPpRTmIn7n_l5aZssNEkuc533zNJVWyQmmBoXqfk

French Lick Land Use Management. (2004). <https://www.ind15rpc.org/wp-content/themes/region15/codes/french-lick/FrenchLick-Title10.pdf>

GRW Engineers, Taylor Siefker Williams, VS Engineering. (2020). *City of Huntingburg Comprehensive Plan*. https://www.huntingburg-in.gov/egov/documents/1583182674_89539.pdf

Lawrence County. (2009).

Lochmueller Group. (1997). *Final Comprehensive Plan for Spencer County, Indiana*.

Lochmueller Group. (1997). *Town of English Comprehensive Plan, Zoning, and Building Code*. <https://www.ind15rpc.org/wp-content/themes/region15/codes/english/English-Title10.pdf>

Lochmueller Group. (2006). *Final Comprehensive Plan for the Town of Troy, Indiana*. <https://www.ind15rpc.org/wp-content/themes/region15/codes/troy/Troy-Title10-2.pdf>

Lochmueller Group. (2007, Sep. 10) *Final Comprehensive Plan for The Town of Leavenworth, Indiana*. <https://www.ind15rpc.org/wp-content/themes/region15/codes/leavenworth/Leavenworth-Title10-2.pdf>

Lochmueller Group. (2008). *Final Comprehensive Plan for Pike County, Indiana* (p. 158).

Lochmueller Group. (2009). *City of Washington Final Comprehensive Plan*. https://www.washingtonin.us/egov/documents/1539343671_02094.pdf

Lochmueller Group. (2009). *Daviess County Final Comprehensive Plan*. http://www.dcedc.net/wp-content/uploads/2019/07/A_Daviess-County-Comprehensive-Plan_2009.pdf

Lochmueller Group. (2009). *Dubois County Comprehensive Plan Final* (p. 158).

Lochmueller Group. (2009). *Final Comprehensive Plan for Greene County, Indiana* (p. 206).



Lochmueller Group. (2009, May 8). *Martin County Final Comprehensive Plan*. <https://martinalliance.org/wp-content/uploads/2018/11/Martin-County-Comprehensive-Plan-2009.pdf>

Lochmueller Group. (2009, Sep. 1). *Warrick County Final Comprehensive Plan*. <http://warrickcounty.gov/files/Comprehensive%20Plan%20and%20Maps/Comp%20Plan%20Elberfeld%20Greer%20&%20Campbell%20Twps/Chapters%201-2.pdf>

Lochmueller Group. (2013, Feb. 7). *Town of Chandler Comprehensive Plan*. http://www.townofchandler.org/wp-content/uploads/2014/06/Chandler-Comprehensive-Plan_reduced.pdf

Lochmueller Group. (2015, Feb. 19). *Town of Orleans Comprehensive Plan*. <https://www.ind15rpc.org/wp-content/themes/region15/codes/orleans/Orleans-Title12-2.pdf>

Lochmueller Group. (2015, July 6). *Perry County Comprehensive Plan*. http://www.perrycounty.in.gov/wp-content/uploads/perry_county_comprehensive_plan_2015.pdf

Lochmueller Group. (2016). *Daviess County Comprehensive Plan*. https://www.daviess.org/egov/documents/1458224209_11546.pdf

Lochmueller Group. (2017, June 17). *Town of Shoals Comprehensive Plan*. <https://shoalsplan.weebly.com/downloads.html?fbclid=IwAR3BUo6vxgG2j8Xodc0ry7VoXVkciktMIEf7r0HIC2BFUzl6h3vIvXfaDc>

Lochmueller Group. (2020, Nov.) *Better Bedford Comprehensive Plan*. <https://www.dropbox.com/s/ffvwdejxuikizm3/BetterBedfordCompPlan.pdf?dl=0>

Matrix Design Group. (2016, Nov.) *NSA Crane Joint Land Use Study*. https://irp-cdn.multiscreensite.com/98cb618e/files/uploaded/nsa_crane_jlus_pub_draft_background_report.pdf

Midwestern Engineers, Inc. (2014). *City of Loogootee Comprehensive Plan*. <https://martinalliance.org/wp-content/uploads/2018/11/City-of-Loogootee-Comprehensive-Plan-Update-2014.pdf>

Monroe County Comprehensive Plan. (2012, Feb. 14). https://www.co.monroe.in.us/egov/documents/1531421020_072.pdf

Orange County. (n.d.).

Paoli Comprehensive Plan. (2015).

Pashek Associates. (2014). *Crawford County Comprehensive Plan*. <https://www.crawfordcountypa.net/Planning/Documents/CRAWFORD%20COUNTY%20COMPREHENSIVE%20PLAN%20-%20FINAL.PDF>

Tell City Comprehensive Plan. (2015).

Town of Chrisney Land Use Planning and Zoning. (1999). <https://www.ind15rpc.org/wp-content/themes/region15/codes/chrisney/Chrisney-Title12.pdf>

Town of Ellettsville Comprehensive Plan. (2007). https://ellettsville.in.us/egov/documents/1568402199_3035.pdf

Town of Ferdinand Comprehensive Plan. (2008). <https://www.ind15rpc.org/wp-content/themes/region15/codes/ferdinand/Ferdinand-Title7.pdf>

Town of Grandview Land Use Planning and Zoning. (1997). <https://www.ind15rpc.org/wp-content/themes/region15/codes/grandview/Grandview-Title10.pdf>

Town of Newburgh Comprehensive Plan. (2001). <http://newburgh-in.gov/pdf/Plan/Plan%20-%20Misc/Brochure.pdf>

Draft Environmental Impact Statement



**MID-STATES
CORRIDOR**

Town of Santa Claus Comprehensive Plan. (1995). http://townofsantaclaus.com/santawordpress/images/PDF/Municipal%20Codes/1995_Snell_Comp_Plan.pdf

Town of Winslow Land Use Planning and Zoning. (1995). <https://www.ind15rpc.org/wp-content/themes/region15/codes/winslow/Winslow-Title10.pdf>

West Baden Springs Zoning. (1993). <https://www.ind15rpc.org/wp-content/themes/region15/codes/westbaden/WestBaden-Title12.pdf>